
VANGUARD®
2010 Outdoor & Accessories
Sporting Optics
Shooting Sticks & Tripods
Archery Cases
Gun Cases

Index

Sporting Optics P. 03~30

- Endeavor Series P. 05~06
- Spirit Series P. 07~08
- Sereno Series P. 09~10
- Venture Plus Series P. 11
- Venture Series P. 12~13
- DR/DA Series P. 14
- Mariner/Ocean Series P. 15
- FR/ZF/BA/DM/MZ Series P. 16~18
- VSH Series P. 19~20
- Signature Plus Series P. 21~22
- High Plains Series P. 23~26
- Specifications P. 27~28
- Accessories P. 29~30

Shooting Sticks P. 31~30

- PRO Series P. 33~35
- Equalizer Series P. 36
- Leader Series P. 37~38
- Quest T62/GMP/GBP Series P. 39~40
- Scout/Quick Series P. 41~42
- Gun Rest Series P. 43
- Specifications P. 44
- Tracker/*Alta*™ Series P. 45~46
- Espod^{Plus}/Espod Series P. 47~48
- GH-100/MK Series P. 49
- Window Mount Series P. 50
- OP/TIK 4 Camo/SP-31 P. 51
- Tabletop/Camouflage Tripods P. 52
- Specifications P. 53~54

Archery Cases & Gun Cases P. 55~72

- Supreme/VGP Series P. 57~58
- X-vault 86C/Axiom Series P. 59
- Saberlock/GDS-6200 Series P. 60
- HD Series P. 61
- Commander Series P. 62
- Ranger Series P. 63~64
- Classic Series P. 65~66
- Legacy/Outback Series P. 67~70
- Specifications P. 71~72

Who is VANGUARD P. 73~74

© Copyright Brenda Valentine

First Lady of Hunting®
Brenda Valentine

The most recognized and respected female hunter in history, Brenda Valentine, is credited for being the example and inspiration that has led thousands of women to hunting.

Mrs. Valentine is steadfast in her mission to teach and preserve the hunting tradition and promote ethical hunting as a vital tool for wildlife conservation as well as an honorable lifestyle. She is widely recognized among those who cherish hunting and the outdoors as a pioneer of her time. Mrs. Valentine is a book author, award-winning columnist, public speaker and television host.

Proficient with all types of firearms and archery equipment, Mrs. Valentine's hunting experiences range from alligators to zebras to caribou to Cape buffalo. However, it is the less exotic, wild turkey and whitetail deer of her native Tennessee that remain her favorite quarry.

Mrs. Valentine is a National Spokesperson for the National Wild Turkey Federation (NWTF), one of the largest conservation organizations in the world and hosts that organization's conservation program that airs on national networks.

Growing up in northwestern Tennessee where hunting is an integral part of the culture due to the meat providing value, she was literally taken on hunts before she learned to walk. This laid the intrinsic foundation of who she is. Through years of experience, Mrs. Valentine became an expert marksman and is extremely knowledgeable about woodsmanship and animal behavior.

Mrs. Valentine is passionate about hunting and considers living the outdoor lifestyle a true blessing. It's the driving force behind her dedication to share time and energy to conservation and preservation of hunting heritage.

She is proudly an industry ambassador for VANGUARD and actively promotes VANGUARD spotting scopes, binoculars, and other accessories. She relies on Endeavor and Spirit Series binoculars and Signature Plus spotting scopes when in the field.

"When hunting is who you are, rather than what you do, choosing the right products is imperative," said Mrs. Valentine. *"I cannot afford to entrust my hunting success to less than the best equipment."*

More about Brenda Valentine: **www.brendavalentine.com**

ENDEAVOR series

MAGNESIUM ALLOY

3-stop eyecup
Long eye relief
Click motion diopter ring

BaK4 Roof Prism

Large center focus adjustment wheel

Magnesium alloy structure
Strong and lightweight

Ergonomic grip with thumb rest

Tripod Adapter
(sold separately)

Nitrogen-charged and O-ring sealed: fogproof and waterproof

LIMITED LIFETIME WARRANTY

WATER PROOF

Advanced technology creates maximum clarity for a truer look at the natural world.

Endeavor has an advanced optical system combined with outstanding lens coatings creating superior light-gathering abilities. This results in significantly brighter, more vivid, crisper images than standard optics. An exclusive anti-reflection coating minimizes light reflection, providing incredibly impressive lifelike images.

Endeavor is O-ring sealed and nitrogen -charged to be waterproof and fogproof. It keeps up its great performance even under challenging conditions. Its solidly-constructed body is protected by rubber armor for the durability you need while maintaining a surprisingly low, balanced weight. A large, ribbed center focus adjustment wheel, easy-to-adjust diopter ring, and 3-stage locking eyecups make adjustment hassle-free, with or without gloves.

Advanced Light Transmission and Special Coatings

Complete Package

Endeavor 8320/8320MO

MOSSY OAK BRAND CAMO

- Weight: 20.5 oz ; 580 g
- Power: 8
- Diameter of objectives: 32 mm
- Prism type: BaK4 Roof
- View angle: 7.5°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 393 ft/1000 yds; 131 m/1000 m
- Near focus: 6.6 feet ; 2.0 m
- Dimensions(LxW): 4 7/8 x 4 3/4 inches; 125 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Endeavor 8420

- Weight: 24.0 oz ; 680 g
- Power: 8
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.5°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 340 ft/1000 yds; 114 m/1000 m
- Near focus: 9.8 feet ; 3.0 m
- Dimensions(LxW): 5 5/8 x 4 7/8 inches; 45 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

ENDEAVOR series

Endeavor 1042/1042M0

- Weight: 24.0 oz ; 680 g
- Power: 10
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.0°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 314 ft/1000 yds; 105 m/1000 m
- Near focus: 9.2 feet ; 2.8 m
- Dimensions(LxW): 5 5/8 x 4 7/8 inches; 145 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Endeavor 1050

- Weight: 31.0 oz ; 880 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 5.2°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 272 ft/1000 yds; 91 m/1000 m
- Near focus: 11.5 feet ; 3.5 m
- Dimensions(LxW): 7 1/8 x 5 3/8 inches; 180 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 60~72 mm

LIMITED LIFETIME WARRANTY

WATER PROOF

AR (Anti-reflection) coating

Anti-reflection

AR Coating on all air-to-surface lenses dramatically minimizes light reflection on the lens. Coupled with fully multi -coated treatment, it ensures perfect light transmission and image recognition, enabling the brightest images possible even on the sunniest days.

V-Max coating

V-Max coating

V-Max Silver Coating is among the most cutting-edge lens treatments in optics, providing for crisper, more vivid images and sharper contrast due to impressive light reflection.

P2 phase coating

P2 Phase coating

Developed for enhanced image clarity and true color reproduction, P2 Phase Coating treatment to BaK4 prisms creates crystal clear images and high resolution observation.

Fully multi- coated

Multiple layers of coating are applied on all air-to-surface lenses. This means all of the lenses and prisms receive multiple layers of coating to minimize the loss of light thus improving the contrast and guaranteeing sharp images and a higher color reproduction.

SPIRIT series

MAGNESIUM ALLOY

LIMITED LIFETIME WARRANTY

WATER PROOF

Ultra impressive color reproduction and true to life observation with never -tire comfort features.

Bestselling Spirit binoculars have been hailed by leading testing panels for their innovative, perfect combination of technical features and design functionality. High-tech prisms and coatings bring you a strikingly outstanding spectrum of color tones, higher contrast and crisper color reproduction. Patented, non-slip Spirit binoculars are waterproof and fogproof, ensuring continuously dry lenses and a clear view even under the most extreme conditions with rain, snow or fog. Spirit is all about comfort with an unbelievable light weight, long eye relief and an ergonomic grip with thumb rest.

Enhanced Observation with Special Coatings and Lightweight, Ergonomic Design

Complete Package

MOSSY OAK BRAND CAMO

Spirit 8360/8360M0

- Weight: 18.7 oz ; 530 g
- Power: 8
- Diameter of objectives: 36 mm
- Prism type: BaK4 Roof
- View angle: 7.0°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 367 ft/1000 yds;122 m/1000 m
- Near focus: 6.6 feet ; 2.0 m
- Dimensions(LxW): 4 7/8 x 4 3/4 inches;125 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 55~75 mm

Spirit 8420

- Weight: 21.2 oz ; 600 g
- Power: 8
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.3°
- Eye relief: 19.0 mm
- Phase coating
- Field of view: 330 ft/1000 yds;110 m/1000 m
- Near focus: 8.2 feet ; 2.5 m
- Dimensions(LxW): 5 5/8 x 5 1/8 inches;145 x 130 mm
- Focus system:Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 55~75 mm

SPIRIT series

LIMITED LIFETIME WARRANTY

WATER PROOF

As light as

18.7 oz / 530 g

Lightweight
Easy to carry

Spirit 1042/1042MO

MOSSY OAK BRAND CAMO

- Weight: 21.2 oz ; 600 g
- Power: 10
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.0°
- Eye relief: 16.0 mm
- Phase coating
- Field of view: 314 ft/ 1000 yds;105 m/ 1000 m
- Near focus: 8.2 feet ; 2.5 m
- Dimensions(LxW): 5 5/8 x 5 1/8 inches;145 x 130 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 55~75 mm

Spirit 1050

- Weight: 28.2 oz ; 800 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 5.6°
- Eye relief: 19.0 mm
- Phase coating
- Field of view: 293 ft/ 1000 yds;98 m/ 1000 m
- Near focus: 9.8 feet ; 3.0 m
- Dimensions(LxW): 6 3/4 x 5 3/8 inches;170 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 60~75 mm

Spirit 1250

- Weight: 28.2 oz ; 800 g
- Power: 12
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 4.9°
- Eye relief: 16.0 mm
- Phase coating
- Field of view: 256 ft/ 1000 yds;86 m/ 1000 m
- Near focus: 11.5 feet ; 3.5 m
- Dimensions(LxW):6 3/4 x 5 3/8 inches;170 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 60~75 mm

Emerald coating

Emerald Coating

The VANGUARD Emerald coating is specifically designed to provide the full spectrum of color within the band of green tones. This coating is essential for outdoor nature enthusiasts because it ensures the most vivid and natural shades of green.

P2 phase coating

P2 Phase coating

Developed for enhanced image clarity and true color reproduction, P2 Phase Coating treatment to BaK4 prisms creates crystal clear images and high resolution observation.

Fully multi- coated

Multiple layers of coating are applied on all air-to-surface lenses. This means all of the lenses and prisms receive multiple layers of coating to minimize the loss of light thus improving the contrast and guaranteeing sharp images and a higher color reproduction.

SERENO series

Quality to open your eyes to a whole new world.

Designed for those who want mid-level optics without sacrificing essential features for great outdoor activity use, patented Sereno binoculars boast quality and design excellence. Sereno's lenses and prisms receive multiple layers of advanced technology coatings. The result? Noticeably minimal light loss, superior contrast, sharper images, crystal clear images and more vivid colors. Being waterproof and fogproof, Sereno enables your continued observation despite the elements. Constructed of durable magnesium alloy, Sereno maintains a lightweight design so you can spend more time enjoying great observation moments.

Advanced Light Transmission and Special Coatings

Complete Package

Sereno 8320/8320MO

- Weight: 23.5 oz ; 665 g
- Power: 8
- Diameter of objectives: 32 mm
- Prism type: BaK4 Roof
- View angle: 7.5°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 393 ft/1000 yds;131 m/1000 m
- Near focus: 6.6 feet ; 2.0 m
- Dimensions(LxW): 5 1/8 x 4 3/4 inches;130 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Sereno 8420

- Weight: 25.0 oz ; 710 g
- Power: 8
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.5°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 340 ft/1000 yds;114 m/1000 m
- Near focus: 11.5 feet ; 3.5 m
- Dimensions(LxW): 5 7/8 x 4 7/8 inches;150 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

SERENO series

LIMITED LIFETIME WARRANTY

WATER PROOF



Emerald coating

Emerald Coating

The VANGUARD Emerald coating is specifically designed to provide the full spectrum of color within the band of green tones. This coating is essential for outdoor nature enthusiasts because it ensures the most vivid and natural shades of green.

P2 phase coating

P2 Phase coating

Developed for enhanced image clarity and true color reproduction, P2 Phase Coating treatment to BaK4 prisms creates crystal clear images and high resolution observation.

Fully multi- coated

Multiple layers of coating are applied on all air-to-surface lenses. This means all of the lenses and prisms receive multiple layers of coating to minimize the loss of light thus improving the contrast and guaranteeing sharp images and a higher color reproduction.

Sereno 1042/1042M0

MOSSY OAK BRAND CAMO

- Weight: 25.7 oz ; 730 g
- Power: 10
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.0°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 314 ft/1000 yds;105 m/1000 m
- Near focus: 9.8 feet ; 3.0 m
- Dimensions(LxW): 5 7/8 x 4 7/8 inches;150 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Sereno 1050

- Weight: 32.6 oz ; 925 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 5.2°
- Eye relief: 17.0 mm
- Phase coating
- Field of view: 272 ft/1000 yds;91 m/1000 m
- Near focus: 11.5 feet ; 3.5 m
- Dimensions(LxW): 7 1/8 x 5 3/8 inches;180 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 60~72 mm

VENTURE PLUS
series

NEW

5-YEAR WARRANTY

WATER PROOF

Venture Plus is all about versatility, providing high-quality, crisp color reproduction in any kind of setting.

Venture Plus has BaK4 roof prisms, special coatings and fully multi-coated lenses for brighter images and impressive focus so you can get closer. The real beauty lies in Venture Plus' long eye relief, large, quick center focus adjustment wheel and lightweight, ergonomic body that enables you use for hours without tire. Venture Plus is Nitrogen charged and O-ring sealed to be fogproof and waterproof. Each package includes a deluxe neck strap and carrying bag.

As light as

22.6 oz / 640 g

Compact size

Contemporary, lightweight design

LIGHTWEIGHT BODY

Bonus Full Package

Venture Plus 8420

- Weight: 22.9 oz ; 650 g
- Power: 8
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.3°
- Eye relief: 19.0 mm
- Field of view: 330 ft/1000 yds;110 m/1000 m
- Near focus: 8.2 feet ; 2.5 m
- Dimensions(LxW): 5 7/8 x 5 1/8 inches;148 x 129 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Venture Plus 1042/1042MO

MOSSY OAK BRAND CAMO

- Weight: 22.6 oz ; 640 g
- Power: 10
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 5.8°
- Eye relief: 17.0 mm
- Field of view: 304 ft/1000 yds;101 m/1000 m
- Near focus: 9.2 feet ; 2.8 m
- Dimensions(LxW): 5 7/8 x 5 1/8 inches;148 x 129 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

VENTURE series

LIGHTWEIGHT BODY

5-YEAR WARRANTY

WATER PROOF

Get caught up in the moment. Popular Venture binoculars offer sharp images due its fully multi-coated lenses that provide for great light transmission and clarity.

Even with all the quality Venture leaves room for comfort. Long eye relief and an easy-adjust diopter ring provide observation convenience, especially for those wearing eyeglasses. The ergonomic body design and twist-out eyecups make it great for use in any outdoor activity. Nitrogen-charged and o-ring sealed, Venture binoculars are 100% waterproof and fogproof so challenging weather won't hinder your experience.

Venture 8320/8320MO

MOSSY OAK BRAND CAMO

- Weight: 21.2 oz ; 600 g
- Power: 8
- Diameter of objectives: 32 mm
- Prism type: BaK4 Roof
- View angle: 6.8°
- Eye relief: 17.0 mm
- Field of view: 356 ft/ 1000 yds;119 m/ 1000 m
- Near focus: 8.2 feet ; 2.5 m
- Dimensions(LxW): 5 1/8 x 4 3/4 inches;130 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Venture 8420

- Weight: 24.6 oz ; 700 g
- Power: 8
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 6.2°
- Eye relief: 19.0 mm
- Field of view: 325 ft/ 1000 yds;108 m/ 1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 6 1/4 x 4 7/8 inches;160 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Waterproof

Complete Package
for Sereno & Venture series

VENTURE series

5-YEAR WARRANTY

WATER PROOF

As light as

21.2 oz / 600 g

Compact size

Emerald coating

Emerald Coating

The VANGUARD Emerald coating is specifically designed to provide the full spectrum of color within the band of green tones. This coating is essential for outdoor nature enthusiasts because it ensures the most vivid and natural shades of green.

Fully multi- coated

Multiple layers of coating are applied on all air-to-surface lenses. This means all of the lenses and prisms receive multiple layers of coating to minimize the loss of light thus improving the contrast and guaranteeing sharp images and a higher color reproduction.

Venture 1042/1042M0

MOSSY OAK BRAND CAMO

- Weight: 24.6 oz ; 700 g
- Power: 10
- Diameter of objectives: 42 mm
- Prism type: BaK4 Roof
- View angle: 5.6°
- Eye relief: 16.5 mm
- Field of view: 293 ft/ 1000 yds;98 m/ 1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 6 1/4 x 4 7/8 inches;160 x 125 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

Venture 1050

- Weight: 31.2 oz ; 885 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 4.8°
- Eye relief: 20.0 mm
- Field of view: 252 ft/ 1000 yds;84 m/ 1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 7 1/4 x 5 3/8 inches;185 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~74 mm

Venture 1250

- Weight: 29.5 oz ; 835 g
- Power: 12
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 4.8°
- Eye relief: 16.0 mm
- Field of view: 252 ft/ 1000 yds;84 m/ 1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 7 1/4 x 5 3/8 inches;185 x 135 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~74 mm

DR/DA series

DR-8210

- Weight: 7.4 oz ; 210 g
- Power: 8
- Diameter of objectives: 21 mm
- Prism type: Roof
- View angle: 7.2°
- Eye relief: 10.0 mm
- Field of view: 377 ft/1000 yds;126 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 3 3/4 x 4 1/8 inches;95 x 105 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 35~76 mm

DR-1025

- Weight: 9.5 oz ; 270 g
- Power: 10
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 5.8°
- Eye relief: 10.0 mm
- Field of view: 304 ft/1000 yds;101 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 4 1/2 x 4 3/8 inches;115 x 110 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 35~76 mm

DA-8210

- Weight: 6.5 oz ; 185 g
- Power: 8
- Diameter of objectives: 21 mm
- Prism type: Roof
- View angle: 7.2°
- Eye relief: 10.0 mm
- Field of view: 377 ft/1000 yds;126 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 3 3/4 x 4 1/8 inches;95 x 105 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 35~76 mm

DA-1025

- Weight: 7.4 oz ; 210 g
- Power: 10
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 5.8°
- Eye relief: 10.0 mm
- Field of view: 304 ft/1000 yds;101 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 4 1/2 x 4 1/8 inches;115 x 105 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 35~76 mm

2- YEAR WARRANTY

DR Series

DR binoculars are small enough to fit in the palm of your hand yet big on power. DR lenses are made of high quality, fully-coated optical glass. With a stylish metallic finish, it has non-slip rubber armor and includes a neck strap and carrying pouch.

2- YEAR WARRANTY

DA Series

DA has all of the classic features you need in a lightweight, compact binocular. It has fully-coated optical glass and soft rubber eyecups that fold down. DA also includes a carrying pouch.

MARINER/OCEAN series

The large scale is integrated into the reticle to calculate distances. Illuminated compass will help you find your way even in darkness.

Mariner

- Weight: 39.9 oz ; 1130 g
- Power: 7
- Diameter of objectives: 50 mm
- Prism type: BaK4 Porro
- View angle: 7.6°
- Eye relief: 20.0 mm
- Field of view: 398 ft/1000 yds;133 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 5 3/4 x 8 1/2 inches;145 x 215 mm
- Focus system: Individully adjustable focus
- Lens coating: Fully multi-coated
- Ocular adjustment: ±4.0D
- Adjustable interpupillary: 58~72 mm

OCEAN-7500WP

- Weight: 42.7 oz ; 1210 g
- Power: 7
- Diameter of objectives: 50 mm
- Prism type: BaK4 Porro
- View angle: 7.0°
- Eye relief: 16.7 mm
- Field of view: 367 ft/1000 yds;122 m/1000 m
- Near focus: 13.1 feet ; 4.0 m
- Dimensions(LxW): 7 1/2 x 8 1/2 inches;190 x 215 mm
- Focus system: Individully adjustable focus
- Lens coating: Fully coated
- Ocular adjustment: -4.0~+8.0D
- Adjustable interpupillary: 58~72 mm

OCEAN-1050WP

- Weight: 44.1 oz ; 1250 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: BaK4 Porro
- View angle: 7.0°
- Eye relief: 11.0 mm
- Field of view: 367 ft/1000 yds;122 m/1000 m
- Near focus:19.7 feet ; 6.0 m
- Dimensions(LxW): 7 1/2 x 8 1/2 inches;190 x 215 mm
- Focus system: Individully adjustable focus
- Lens coating: Fully coated
- Ocular adjustment: -4.0~+8.0D
- Adjustable interpupillary: 58~72 mm

5-YEAR WARRANTY

WATER PROOF

Mariner Series

The ultimate binoculars for water sports and marine observation, Mariner couples an advanced optical system with superior water protection. It is 100% waterproof (up to 16 feet/5 meters) and fogproof. Mariner is constructed of durable fiberglass with reinforced plastic and covered with a non-slip rubber armor, making it easy to hold even in cold or wet conditions. Ergonomic design makes it a pleasure to use even for prolonged periods of time. Focus Mariner from four meters to a virtually limitless distance. Mariner includes an illuminated compass for a clear view even in darkness. A floating neck strap ensures easy retrieval if dropped into water. Includes a carrying bag.



Floating neck strap

Compass with illuminator inside

2- YEAR WARRANTY

WATER PROOF

OCEAN Series

A water-lover's best friend, OCEAN is an ultra-durable, waterproof binocular made to perform on water or land. From your boat in the middle of the lake or on a sea -side beach, OCEAN, with BaK4 prisms, provides impressive light transmission and clear viewing. Constructed of strong aluminum with impact-resistant rubber, OCEAN binoculars are made to take on the kind of conditions that standard binoculars can't handle.

FR series

2- YEAR WARRANTY

FR Series

FR binoculars have a strong aluminum alloy body with fully-coated optical glass. They feature large objective lenses for bright, clear images, even in low light. FR binoculars have standard, fixed powers, non-slip, textured rubber armor and include a deluxe padded carrying pouch.

FR-8300W

- Weight: 21.5 oz ; 610 g
- Power: 8
- Diameter of objectives: 30 mm
- Prism type: Porro
- View angle: 8.5°
- Eye relief: 11.0 mm
- Field of view: 445 ft/1000 yds;149 m/1000 m
- Near focus: 14.8 feet ; 4.5 m
- Dimensions(LxW): 4 3/4 x 7 1/8 inches;120 x 180 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 52~74 mm

FR-8400W

- Weight: 23.8 oz ; 675 g
- Power: 8
- Diameter of objectives: 40 mm
- Prism type: Porro
- View angle: 8.5°
- Eye relief: 11.0 mm
- Field of view: 445 ft/1000 yds;149 m/1000 m
- Near focus: 16.4 feet ; 5.0 m
- Dimensions(LxW): 5 1/2 x 7 1/8 inches;140 x 180 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 52~74 mm

FR-7500

- Weight: 29.8 oz ; 845 g
- Power: 7
- Diameter of objectives: 50 mm
- Prism type: Porro
- View angle: 7.0°
- Eye relief: 16.7 mm
- Field of view: 367 ft/1000 yds;122 m/1000 m
- Near focus: 16.4 feet ; 5.0 m
- Dimensions(LxW): 6 7/8 x 7 5/8 inches;175 x 195 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 52~74 mm

FR-1050W

- Weight: 29.6 oz ; 840 g
- Power: 10
- Diameter of objectives: 50 mm
- Prism type: Porro
- View angle: 7.0°
- Eye relief: 11.0 mm
- Field of view: 367 ft/1000 yds;122 m/1000 m
- Near focus: 23.0 feet ; 7.0 m
- Dimensions(LxW): 6 7/8 x 7 5/8 inches;175 x 195 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 58~72 mm

FR-1250W

- Weight: 30.2 oz ; 855 g
- Power: 12
- Diameter of objectives: 50 mm
- Prism type: Porro
- View angle: 5.5°
- Eye relief: 11.0 mm
- Field of view: 288 ft/1000 yds;96 m/1000 m
- Near focus: 26.2 feet ; 8.0 m
- Dimensions(LxW): 6 7/8 x 7 5/8 inches;175 x 195 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±2.0D
- Adjustable interpupillary: 52~74 mm

ZF/BA series

2-YEAR WARRANTY

ZF Series

ZF binoculars have zoom lenses, wide range of view and fully-coated optical glass. Its strong aluminum alloy body has a textured rubber armor, making it easy to hold, even for extended periods of time. ZF also features large objective lenses and a deluxe padded carrying pouch.

ZF-71535

- Weight: 24.9 oz ; 705 g
- Power: 7~15
- Diameter of objectives: 35 mm
- Prism type: Porro
- View angle: 5.3°~3.8°
- Eye relief: 13.0 mm
- Field of view: 277~199 ft/1000 yds;93~66 m/1000 m
- Near focus: 23.0 feet ; 7.0 m
- Dimensions(LxW): 5 3/4 x 6 3/4 inches;145 x 170 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±1.0D
- Adjustable interpupillary: 58~72 mm

ZF-103050

- Weight: 33.2 oz ; 940 g
- Power: 10~30
- Diameter of objectives: 50 mm
- Prism type: Porro
- View angle: 3.8°~1.9°
- Eye relief: 12.0 mm
- Field of view: 199~99 ft/1000 yds;66~33 m/1000 m
- Near focus: 29.5 feet ; 9.0 m
- Dimensions(LxW): 7 1/4 x 7 5/8 inches;185 x 195 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±1.0D
- Adjustable interpupillary: 58~72 mm

ZF-104050

- Weight: 33.3 oz ; 945 g
- Power: 10~40
- Diameter of objectives: 50 mm
- Prism type: Porro
- View angle: 3.6°~1.5°
- Eye relief: 11.0 mm
- Field of view: 188~78 ft/1000 yds;63~26 m/1000 m
- Near focus: 36.1 feet ; 11.0 m
- Dimensions(LxW): 7 5/8 x 7 5/8 inches;195 x 195 mm
- Focus system: Center focus
- Lens coating: Fully coated
- Ocular adjustment: ±1.0D
- Adjustable interpupillary: 58~72 mm

BA-168

Binocular adapter
- Mount your binoculars to a tripod for more stable viewing

BA-185

Binocular adapter
- By attaching this adapter you can easily mount your binoculars to a tripod for more stable viewing

DM/MZ series

DM-6250

- Weight: 3.9 oz ; 110 g
- Power: 6
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 8.0°
- Eye relief: 13.5 mm
- Field of view: 419 ft/ 1000 yds;140 m/ 1000 m
- Near focus: 1.1 feet ; 0.35 m
- Dimensions(LxW): 3 3/4 x 1 1/8 inches;95 x 30 mm
- Focus system: Ocular focus
- Lens coating: Fully coated

DM-8250

- Weight: 3.9 oz ; 110 g
- Power: 8
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 7.0°
- Eye relief: 8.6 mm
- Field of view: 367 ft/ 1000 yds;122 m/ 1000 m
- Near focus: 1.1 feet ; 0.35 m
- Dimensions(LxW): 3 3/4 x 1 1/8 inches;95 x 30 mm
- Focus system: Ocular focus
- Lens coating: Fully coated

MZ-61225C

- Weight: 4.4 oz ; 125 g
- Power: 6~12
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 4.0°~2.4°
- Eye relief: 8.0 mm
- Field of view: 209~126 ft/ 1000 yds;70~42 m/ 1000 m
- Near focus: 1.1 feet ; 0.35 m
- Dimensions(LxW): 4 1/2 x 1 3/8 inches;115 x 35 mm
- Focus system: Ocular focus
- Lens coating: Fully coated

MZ-82425C

- Weight: 4.4 oz ; 125 g
- Power: 8~24
- Diameter of objectives: 25 mm
- Prism type: Roof
- View angle: 3.8°~2.0°
- Eye relief: 8.0 mm
- Field of view: 199~105 ft/ 1000 yds;66~35 m/ 1000 m
- Near focus: 1.1 feet ; 0.35 m
- Dimensions(LxW): 4 1/2 x 1 3/8 inches;115 x 35 mm
- Focus system: Ocular focus
- Lens coating: Fully coated

2- YEAR WARRANTY

DM Series

Great for on-the-go observation, DM monoculars are lightweight and small enough to fit in a pocket. DM has standard power for long distance viewing and a durable metal body with rubber armor. Includes a carrying bag.

2- YEAR WARRANTY

MZ Series

MZ monoculars are compact and lightweight for easy travel. Its metal body and soft folding eyecups provide years of great performance. It also offers great near focus and zoom power. Includes a carrying bag.

VSH series

MAGNESIUM ALLOY

NEW

LIMITED LIFETIME WARRANTY

WATER PROOF

VANGUARD VSH Series spotting scopes help you capture the spirit of the outdoors.

VSH Series spotting scopes have a complete optical system with the most advanced technology featuring special coatings for bright, vivid colors and impressive color contrast. VSH scopes have BaK4 prisms and a sun shield for minimum glare and optimum viewing even on the sunniest days. VSH scopes are O-ring sealed and 100% waterproof and fogproof guaranteed.

Enhanced Observation
with Advanced Technology

Porro Prism System
is recognized by its offset lens barrel design. The wider spacing of the objective lenses enhances ones perspective and produces a more realistic, three dimensional image.







VSH-761 with straight eyepiece

- Weight: 47.6 oz ; 1350 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Porro
- View angle: 1.9°~1.0°
- Eye relief: 20.0 mm
- Field of view: 99~52 ft/1000 yds; 33~17 m/1000 m
- Near focus: 36.1~45.9 feet; 11.0~14.0 m
- Dimensions(LxW): 16 1/8 x 4 3/4 inches; 410 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

VSH-781 with straight eyepiece

- Weight: 57.5 oz ; 1630 g
- Power: 20~80
- Diameter of objectives: 80 mm
- Prism type: BaK4 Porro
- View angle: 1.5°~0.7°
- Eye relief: 20.0 mm
- Field of view: 78~37 ft/1000 yds; 26~12 m/1000 m
- Near focus: 39.4~49.2 feet; 12.0~15.0 m
- Dimensions(LxW): 17 3/4 x 4 3/4 inches; 450 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

VSH series



NEW

LIMITED LIFETIME WARRANTY

WATER PROOF

Constructed of lightweight magnesium alloy, they're lighter and stronger than the traditional spotting scope. With long eye relief, a quick focus wheel, an adjustable, and twist eyecup, you won't tire of using VSH scopes. Both VSH models include a solid deluxe carrying case for protection in travel, strong aluminum alloy table tripod and a camera adaptor.

Roof Prism System
has a straight profile and is more compact. The smaller prisms require more precise grinding and polishing, resulting in excellent image quality.

VSH-760 with angled eyepiece

- Weight: 41.6 oz ; 1180 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Roof
- View angle: 1.9°~1.0°
- Eye relief: 20.0 mm
- Field of view: 99~52 ft/1000 yds; 33~17 m/1000 m
- Near focus: 36.1~45.9 feet; 11.0~14.0 m
- Dimensions(LxW): 13 3/4 x 6 1/8 inches; 350 x 155 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

VSH-780 with angled eyepiece

- Weight: 55.4 oz ; 1570 g
- Power: 20~80
- Diameter of objectives: 80 mm
- Prism type: BaK4 Roof
- View angle: 1.5°~0.7°
- Eye relief: 20.0 mm
- Field of view: 78~37 ft/1000 yds; 26~12 m/1000 m
- Near focus: 39.4~49.2 feet; 12.0~15.0 m
- Dimensions(LxW): 17 3/8 x 6 1/8 inches; 440 x 155 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

Bonus
PA Adapter
for use with camera

Deluxe protective package with camera adapter

SIGNATURE PLUS
series

MAGNESIUM ALLOY

NEW

5-YEAR WARRANTY

WATER PROOF

Standout performance for the serious outdoor observer.

Signature Plus spotting scopes truly stand out from traditional optics with incredible light transmission, a wide field of view, image brightness and sharpness for excellent viewing even in low light conditions. They have fully multi -coated lenses, BaK4 prisms and large objective lenses.

Large Focus Wheel

Rotating Cuff
for 45° eyepiece scope

Signature Plus 661 with straight eyepiece

- Weight: 40.7 oz ; 1155 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Porro
- View angle: 2.0°~1.0°
- Eye relief: 18~22 mm
- Field of view: 105~52 ft/1000 yds;35~17 m/1000 m
- Near focus: 23.0~26.3 feet;7.0~8.0 m
- Dimensions(LxW): 13 1/4 x 4 3/8 inches;335 x 110 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

Signature Plus 681 with straight eyepiece

- Weight: 53.6 oz ; 1520 g
- Power: 20~60
- Diameter of objectives: 80 mm
- Prism type: BaK4 Porro
- View angle: 1.5°~0.8°
- Eye relief: 18~22 mm
- Field of view: 78~42 ft/1000 yds;26~14 m/1000 m
- Near focus: 39.4~45.9 feet;12.0~14.0 m
- Dimensions(LxW): 16 1/2 x 4 3/8 inches;420 x 110 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

SIGNATURE PLUS series

NEW

5-YEAR WARRANTY

WATER PROOF

Waterproof and fogproof, Signature Plus is ready to handle Mother Nature's demanding moments. Durable magnesium alloy construction means it will have years of great performance while having a considerably lower weight.

Enhanced Observation Experience

Signature Plus has an enhanced optical system and special coatings for bright and sharp observation. Its larger-than-standard exit pupil provides greater light gathering ability. More light results in much brighter viewing and significantly enhances the observation experience. Signature Plus' large ocular lenses, where the exit pupil is found, magnifies the image quickly, enabling users to more immediately find the target.



Signature Plus 660 with angled eyepiece

- Weight: 42.3 oz ; 1200 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Roof
- View angle: 2.0°~1.0°
- Eye relief: 18~22 mm
- Field of view: 105~52ft/1000 yds;35~17m/1000 m
- Near focus: 23.0~26.3 feet;7.0~8.0 m
- Dimensions(LxW): 13 5/8 x 6 1/4 inches;345 x 160 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

Signature Plus 680 with angled eyepiece

- Weight: 54.5 oz ; 1545 g
- Power: 20~60
- Diameter of objectives: 80 mm
- Prism type: BaK4 Roof
- View angle: 1.5°~0.8°
- Eye relief: 18~22 mm
- Field of view: 78~42 ft/1000 yds;26~14 m/1000 m
- Near focus: 39.4~45.9 feet;12.0~14.0 m
- Dimensions(LxW): 16 1/2 x 5 3/4 inches;420 x 145 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

Complete Package

HIGH PLAINS
560/561 series

NEW

5-YEAR WARRANTY

WATER PROOF

Take observation to a new level with razor sharp images.

High Plains have fully multi-coated lenses, BaK4 prisms and 60 or 80 mm-diameter objective lenses for superior image quality, clearer viewing and impressive light transmission.

High Plains is all about easy handling with a center focus wheel, long eye relief and a fold-down eyecup for use with or without eyeglasses. Available with a straight or 45-degree angle eyepiece, all models are accompanied by an accessory kit that includes a hard case and tripod. Its tripod's legs extend and create a wide base for added stability. Its two-way pan head provides smooth movement and its quick fasten plate enables easy set up and removal. The hard case has steel -reinforced corners and an interior with high-density, pre-cut interior foam and flexible Velcro® straps for the ultimate spotting scope protection. This kit also includes soft bag with shoulder strap and a cleaning kit.

High Plains 561 with straight eyepiece

- Weight: 39.9 oz ; 1130 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Porro
- View angle: 2.1°~1.2°
- Field of view: 110~63 ft/1000 yds;37~21 m/1000 m
- Eye relief: 18~22 mm
- Near focus: 26.3~29.5 feet;8.0~9.0 m
- Dimensions(LxW): 12 3/4 x 4 3/4 inches;325 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

High Plains 581 with straight eyepiece

- Weight: 55.9 oz ; 1585 g
- Power: 20~60
- Diameter of objectives: 80 mm
- Prism type: BaK4 Porro
- View angle: 1.5°~0.8°
- Field of view: 78~42 ft/1000 yds;26~14 m/1000 m
- Eye relief: 16~22 mm
- Near focus: 42.7~52.5 feet;13.0~16.0 m
- Dimensions(LxW): 16 1/8 x 4 3/4 inches;410 x 120 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

HIGH PLAINS
580/581 series

NEW

5-YEAR WARRANTY

WATER PROOF



Sunshield

Eyepiece with large exit pupil

Bonus Cleaning Kit



Fast Aiming Line

You've spotted an object through High Plains' advanced spotting scope technology. Its additional view piece provides an important initial view and this aids in focus adjustment so you can get closer to the object, faster.



High Plains 560 with angled eyepiece

- Weight: 41.4 oz ; 1175 g
- Power: 15~45
- Diameter of objectives: 60 mm
- Prism type: BaK4 Roof
- View angle: 2.1°~1.2°
- Field of view: 110~63 ft/1000 yds;37~21 m/1000 m
- Eye relief: 18~22 mm
- Near focus: 26.3~29.5 feet;8.0~9.0 m
- Dimensions(LxW): 13 x 5 7/8 inches;330 x 150 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

High Plains 580 with angled eyepiece

- Weight: 56.8 oz ; 1610 g
- Power: 20~60
- Diameter of objectives: 80 mm
- Prism type: BaK4 Roof
- View angle: 1.5°~0.8°
- Field of view: 78~42 ft/1000 yds;26~14 m/1000 m
- Eye relief: 16~22 mm
- Near focus: 42.7~52.5 feet;13.0~16.0 m
- Dimensions(LxW): 16 1/2 x 5 7/8 inches;420 x 150 mm
- Focus system: Inter focusing via central focusing knob
- Lens coating: Fully multi-coated

Complete package: Protective case, soft carrying bag, CK-3 cleaning kit

HIGH PLAINS
550/551 series

NEW

5-YEAR WARRANTY

WATER PROOF

Say hello to superior image quality, clearer viewing and impressive light transmission.

High Plains spotting scopes combine the latest optical technology with enhanced user features for quicker adjustment and easier handling. They have fully multi -coated lenses, BaK4 prisms and 50 mm -diameter objective lenses. High Plains is all about easy handling with a large center focus wheel, long eye relief and a fold -down eyecup for use with or without eyeglasses. Available with a straight or 45-degree angle eyepiece, all models are accompanied by an accessory kit that includes a hard case and tripod.

As light as

18.2 oz / 515 g

Compact size

LIGHTWEIGHT BODY

Accessories included:
Protective case, soft carrying bag, tripod, CK-3 cleaning kit

High Plains 550 with angled eyepiece

- Weight: 18.2 oz ; 515 g
- Power: 12~50
- Diameter of objectives: 50 mm
- Prism type: BaK4 Roof
- View angle: 3.0°~1.0°
- Eye relief: 11 mm
- Near focus: 29.5~39.4 feet;9.0~12.0 m
- Dimensions(LxW): 9 1/4 x 4 1/2 inches;235 x 115 mm
- Focus system: Ocular focus
- Lens coating: Fully multi-coated

High Plains 551 with straight eyepiece

- Weight: 18.2 oz ; 515 g
- Power: 12~50
- Diameter of objectives: 50 mm
- Prism type: BaK4 Porro
- View angle: 3.0°~1.0°
- Field of view: 157~52 ft/1000 yds;52~17 m/1000 m
- Eye relief: 11 mm
- Near focus: 29.5~39.4 feet;9.0~12.0 m
- Dimensions(LxW): 8 7/8 x 3 1/2 inches;225 x 90 mm
- Focus system: Ocular focus
- Lens coating: Fully multi-coated

HIGH PLAINS
460/461 series

LIGHTWEIGHT BODY

NEW

5-YEAR WARRANTY

WATER PROOF

Big on power. Small in size. High Plains 400 Series spotting scopes are easily -portable and don't sacrifice optical quality. BaK4 prisms and multi-coated lenses offer clear, vibrant viewing. Nitrogen-charged and o-ring sealed, High Plains is 100% waterproof and fogproof, performing in challenging weather conditions. Other features include long eye relief and fold-down eyecups for use with or without eyeglasses. Both models are accompanied by a hard case and tripod that provides a wide base for greater stability.

Accessories included:
Protective case and tripod

High Plains 460 with angled eyepiece

- Weight: 18.7 oz ; 530 g
- Power: 15~60
- Diameter of objectives: 60 mm
- Prism type: BaK4 Roof
- View angle: 2.4°~1.1°
- Field of view: 126~58 ft/1000 yds;42~19 m/1000 m
- Eye relief: 11~16 mm
- Near focus: 32.8~39.4 feet;10.0~12.0 m
- Dimensions(LxW): 10 5/8 x 4 3/8 inches;270 x 110 mm
- Focus system: Ocular focus
- Lens coating: Multi-coated

High Plains 461 with straight eyepiece

- Weight: 19.0 oz ; 540 g
- Power: 15~60
- Diameter of objectives: 60 mm
- Prism type: BaK4 Porro
- View angle: 2.4°~1.1°
- Field of view: 126~58 ft/1000 yds;42~19 m/1000 m
- Eye relief: 11~16 mm
- Near focus: 32.8~39.4 feet;10.0~12.0 m
- Dimensions(LxW): 10 1/4 x 3 1/2 inches;260 x 90 mm
- Focus system: Ocular focus
- Lens coating: Multi-coated

Compact size

SPECIFICATIONS

Binoculars

Endeavor series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Endeavor 8320	8	32	BaK4 Roof	393	131	7.5	6.6	2.0	17.0	4 7/8x4 3/4	125x120	20.5	580	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Endeavor 8320MO	8	32	BaK4 Roof	393	131	7.5	6.6	2.0	17.0	4 7/8x4 3/4	125x120	20.5	580	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Endeavor 8420	8	42	BaK4 Roof	340	114	6.5	9.8	3.0	17.0	5 5/8x4 7/8	145x125	24.0	680	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Endeavor 1042	10	42	BaK4 Roof	314	105	6.0	9.2	2.8	17.0	5 5/8x4 7/8	145x125	24.0	680	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Endeavor 1042MO	10	42	BaK4 Roof	314	105	6.0	9.2	2.8	17.0	5 5/8x4 7/8	145x125	24.0	680	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Endeavor 1050	10	50	BaK4 Roof	272	91	5.2	11.5	3.5	17.0	7 1/8x5 3/8	180x135	31.0	880	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	60~72

Spirit series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Spirit 8360	8	36	BaK4 Roof	367	122	7.0	6.6	2.0	17.0	4 7/8x4 3/4	125x120	18.7	530	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	55~75
Spirit 8360MO	8	36	BaK4 Roof	367	122	7.0	6.6	2.0	17.0	4 7/8x4 3/4	125x120	18.7	530	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	55~75
Spirit 8420	8	42	BaK4 Roof	330	110	6.3	8.2	2.5	19.0	5 5/8x5 1/8	145x130	21.2	600	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	55~75
Spirit 1042	10	42	BaK4 Roof	314	105	6.0	8.2	2.5	16.0	5 5/8x5 1/8	145x130	21.2	600	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	55~75
Spirit 1042MO	10	42	BaK4 Roof	314	105	6.0	8.2	2.5	16.0	5 5/8x5 1/8	145x130	21.2	600	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	55~75
Spirit 1050	10	50	BaK4 Roof	293	98	5.6	9.8	3.0	19.0	6 3/4x5 3/8	170x135	28.2	800	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	60~75
Spirit 1250	12	50	BaK4 Roof	293	98	5.6	11.5	3.5	19.0	6 3/4x5 3/8	170x135	28.2	800	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	60~75

Sereno series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Sereno 8320	8	32	BaK4 Roof	393	131	7.5	6.6	2.0	17.0	5 1/8x4 3/4	130x120	23.5	665	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Sereno 8320MO	8	32	BaK4 Roof	393	131	7.5	6.6	2.0	17.0	5 1/8x4 3/4	130x120	23.5	665	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Sereno 8420	8	42	BaK4 Roof	340	114	6.5	11.5	3.5	17.0	5 7/8x4 7/8	150x125	25.0	710	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Sereno 1042	10	42	BaK4 Roof	314	105	6.0	9.8	3.0	17.0	5 7/8x4 7/8	150x125	25.7	730	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Sereno 1042MO	10	42	BaK4 Roof	314	105	6.0	9.8	3.0	17.0	5 7/8x4 7/8	150x125	25.7	730	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	58~72
Sereno 1050	10	50	BaK4 Roof	272	91	5.2	11.5	3.5	17.0	7 1/8x5 3/8	180x135	32.6	925	Inter focusing via central focusing knob	Fully multi-coated	●	±4.0	60~72

Venture Plus series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Venture Plus 8420	8	42	BaK4 Roof	330	110	6.3	8.2	2.5	19.0	5 7/8x5 1/8	148x129	22.9	650	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture Plus 1042	10	42	BaK4 Roof	304	101	5.8	9.2	2.8	17.0	5 7/8x5 1/8	148x129	22.6	640	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture Plus 1042	10	42	BaK4 Roof	304	101	5.8	9.2	2.8	17.0	5 7/8x5 1/8	148x129	22.6	640	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72

Venture series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Venture 8320	8	32	BaK4 Roof	356	119	6.8	8.2	2.5	17.0	5 1/8x4 3/4	130x120	21.2	600	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture 8320MO	8	32	BaK4 Roof	356	119	6.8	8.2	2.5	17.0	5 1/8x4 3/4	130x120	21.2	600	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture 8420	8	42	BaK4 Roof	325	108	6.2	13.1	4.0	19.0	6 1/4x4 7/8	160x125	24.6	700	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture 1042	10	42	BaK4 Roof	293	98	5.6	13.1	4.0	16.5	6 1/4x4 7/8	160x125	24.6	700	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture 1042MO	10	42	BaK4 Roof	293	98	5.6	13.1	4.0	16.5	6 1/4x4 7/8	160x125	24.6	700	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~72
Venture 1050	10	50	BaK4 Roof	252	84	4.8	13.1	4.0	20.0	7 1/4x5 3/8	185x135	31.2	885	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~74
Venture 1250	10	50	BaK4 Roof	252	84	4.8	13.1	4.0	20.0	7 1/4x5 3/8	185x135	31.2	885	Inter focusing via central focusing knob	Fully multi-coated	—	±4.0	58~74

DR series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
DR-8210	8	21	Roof	377	126	7.2	13.1	4.0	10	3 3/4x4 1/8	95x105	7.4	210	Center focus	Fully coated	—	±2.0	35~76
DR-1025	10	25	Roof	304	101	5.8	13.1	4.0	10	4 1/2x4 3/8	115x110	9.5	270	Center focus	Fully coated	—	±2.0	35~76

DA series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
DA-8210	8	21	Roof	377	126	7.2	13.1	4.0	10	3 3/4x4 1/8	95x105	6.5	185	Center focus	Fully coated	—	±2.0	35~76
DA-1025	10	25	Roof	304	101	5.8	13.1	4.0	10	4 1/2x4 1/8	115x105	7.4	210	Center focus	Fully coated	—	±2.0	35~76

Mariner series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
Mariner	7	50	BaK4 Porro	398	133	7.6	13.1	4.0	20	5 3/4x8 1/2	145x215	39.9	1130	Individually adjustable focus	Fully multi-coated	—	±4.0	58~72

SPECIFICATIONS

OCEAN series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
OCEAN 7500WP	7	50	BaK4 Porro	367	122	7.0	13.1	4.0	16.7	7 1/2x8 1/2	190x215	42.7	1210	Individually adjustable focus	Fully coated	—	-4.0~+8.0	58~72
OCEAN 1050WP	10	50	BaK4 Porro	367	122	7.0	19.7	6.0	11.0	7 1/2x8 1/2	190x215	44.1	1250	Individually adjustable focus	Fully coated	—	-4.0~+8.0	58~72

FR series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
FR-8300W	8	30	Porro	445	149	8.5	14.8	4.5	11	4 3/4x7 1/8	120x180	21.5	610	Center focus	Fully coated	—	±2.0	52~74
FR-8400W	8	40	Porro	445	149	8.5	16.4	5.0	11	5 1/2x7 1/8	140x180	23.8	675	Center focus	Fully coated	—	±2.0	52~74
FR-7500	7	50	Porro	367	122	7.0	16.4	5.0	16.7	6 7/8x7 5/8	175x195	29.8	845	Center focus	Fully coated	—	±2.0	52~74
FR-1050W	10	50	Porro	367	122	7.0	23.0	7.0	11	6 7/8x7 5/8	175x195	29.6	840	Center focus	Fully coated	—	±2.0	58~72
FR-1250W	12	50	Porro	288	96	5.5	26.2	8.0	11	6 7/8x7 5/8	175x195	30.2	855	Center focus	Fully coated	—	±2.0	52~74

ZF series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
ZF-71535	7~15	35	Porro	277~199	93~66	5.3~3.8	23.0	7.0	13	5 3/4x6 3/4	145x170	24.9	705	Center focus	Fully coated	—	±1.0	58~72
ZF-103050	10~30	50	Porro	199~99	66~33	3.8~1.9	29.5	9.0	12	7 1/4x7 5/8	185x195	33.2	940	Center focus	Fully coated	—	±1.0	58~72
ZF-104050	10~40	50	Porro	188~78	63~26	3.6~1.5	36.1	11.0	11	7 5/8x7 5/8	195x195	33.3	945	Center focus	Fully coated	—	±1.0	58~72

DM series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
DM-6250	6	25	Roof	419	140	8.0	1.1	0.35	13.5	3 3/4x1 1/8	95x30	3.9	110	Ocular focus	Fully coated	—	—	—
DM-8250	8	25	Roof	367	122	7.0	1.1	0.35	8.6	3 3/4x1 1/8	95x30	3.9	110	Ocular focus	Fully coated	—	—	—

MZ series

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating	Phase coating	Ocular adjustment (D)	Adjustable interpupillary (mm)
MZ-61225C	6~12	25	Roof	209~126	70~42	4.0~2.4	1.1	0.35	8.0	4 1/2x1 3/8	115x35	4.4	125	Ocular focus	Fully coated	—	—	—
MZ-82425C	8~24	25	Roof	199~105	66~35	3.8~2.0	1.1	0.35	8.0	4 1/2x1 3/8	115x35	4.4	125	Ocular focus	Fully coated	—	—	—

Spotting Scopes

VSH series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating
VSH-760	15~45	60	BaK4 Roof	99~52	33~17	1.9~1.0	36.1~45.9	11.0~14.0	20	13 3/4x6 1/8	350x155	41.6	1180	Inter focusing via central focusing knob	Fully multi-coated
VSH-780	20~80	80	BaK4 Roof	78~37	26~12	1.5~0.7	39.4~49.2	12.0~15.0	20	17 3/8x6 1/8	440x155	55.4	1570	Inter focusing via central focusing knob	Fully multi-coated
VSH-761	15~45	60	BaK4 Porro	99~52	33~17	1.9~1.0	36.1~45.9	11.0~14.0	20	16 1/8x4 3/4	410x120	47.6	1350	Inter focusing via central focusing knob	Fully multi-coated
VSH-781	20~80	80	BaK4 Porro	78~37	26~12	1.5~0.7	39.4~49.2	12.0~15.0	20	17 3/4x4 3/4	450x120	57.5	1630	Inter focusing via central focusing knob	Fully multi-coated

Signature Plus series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating
Signature Plus 660	15~45	60	BaK4 Roof	105~52	35~17	2.0~1.0	23.0~26.3	7.0~8.0	18~22	13 5/8x6 1/4	345x160	42.3	1200	Inter focusing via central focusing knob	Fully multi-coated
Signature Plus 680	20~60	80	BaK4 Roof	78~42	26~14	1.5~0.8	39.4~45.9	12.0~14.0	18~22	16 1/2x5 3/4	420x145	54.5	1545	Inter focusing via central focusing knob	Fully multi-coated
Signature Plus 661	15~45	60	BaK4 Porro	105~52	35~17	2.0~1.0	23.0~26.3	7.0~8.0	18~22	13 1/4x4 3/8	335x110	40.7	1155	Inter focusing via central focusing knob	Fully multi-coated
Signature Plus 681	20~60	80	BaK4 Porro	78~42	26~14	1.5~0.8	39.4~45.9	12.0~14.0	18~22	16 1/2x4 3/8	420x110	53.6	1520	Inter focusing via central focusing knob	Fully multi-coated

High Plains series (all models are waterproof)

	Power	Diameter of Objective (mm)	Prism Type	Field of View ft/1000yds	Field of View m/1000m	View Angle	Near Focus feet	Near Focus m	Eye Relief (mm)	Dimension (LxW) inches	Dimension (LxW) mm	Weight oz	Weight g	Focus system	Lens coating
High Plains 460	15~60	60	BaK4 Roof	126~58	42~19	2.4~1.1	32.8~39.4	10.0~12.0	11~16	10 5/8x4 3/8	270x110	18.7	530	Ocular focus	Multi-coated
High Plains 461	15~60	60	BaK4 Porro	126~58	42~19	2.4~1.1	32.8~39.4	10.0~12.0	11~16	10 1/4x3 1/2	260x90	19.0	540	Ocular focus	Multi-coated
High Plains 550	12~50	50	BaK4 Roof	157~52	52~17	3.0~1.0	29.5~39.4	9.0~12.0	11	9 1/4x4 1/2	235x115	18.2	515	Ocular focus	Fully multi-coated
High Plains 560	15~45	60	BaK4 Roof	110~63	37~21	2.1~1.2	26.3~29.5	8.0~9.0	18~22	13x5 7/8	330x150	41.4	1175	Inter focusing via central focusing knob	Fully multi-coated
High Plains 580	20~60	80	BaK4 Roof	78~42	26~14	1.5~0.8	42.7~52.5	13.0~16.0	16~22	16 1/2x5 7/8	420x150	56.8	1610	Inter focusing via central focusing knob	Fully multi-coated
High Plains 551	12~50	50	BaK4 Porro	157~52	52~17	3.0~1.0	29.5~39.4	9.0~12.0	11	8 7/8x3 1/2	225x90	18.2	515	Ocular focus	Fully multi-coated
High Plains 561	15~45	60	BaK4 Porro	110~63	37~21	2.1~1.2	26.3~29.5	8.0~9.0	18~22	12 3/4x4 3/4	325x120	39.9	1130	Inter focusing via central focusing knob	Fully multi-coated
High Plains 581	20~60	80	BaK4 Porro	78~42	26~14	1.5~0.8	42.7~52.5	13.0~16.0	16~22	16 1/8x4 3/4	410x120	55.9	1585	Inter focusing via central focusing knob	Fully multi-coated

ACCESSORIES

NEW

PATENTED

Ultra Lens Cleaner (ULC)

3 functions in 1 with air blower, brush, and soft cloth polishing tip

- 2.0 inches ; 50 mm rubber bulb diameter
- 7.3 inches ; 185 mm long

Capped air blower with soft rubber tip

Retractable, scratch -free soft-touch brush

Flexible tip cleaning solution dispenser



Powerful dust and dirt blower

Flexible soft-tip

Power Lens Cleaner (PLC)

Triple function cleaning pen with air blower, brush and soft cloth polishing tip

PATENT PENDING

Power lens cleaner

- 1 3/4 inches ; 45 mm rubber bulb diameter
- 6 1/2 inches ; 165 mm long

Microfiber cleaning cloth

- 11 3/4 x 11 3/4 inches ; 300 x 300 mm

2-in-1 Cleaning Kit (CK2N1)

Compact lens cleaner with soft microfiber cleaning cloth. Compact size is great for travel.

PATENT PENDING

Lens cleaner

- 5/8 inches ; 17 mm diameter
- 3 3/4 inches ; 95 mm long

Microfiber cleaning cloth

- 11 3/4 x 11 3/4 inches ; 300 x 300 mm

Travel Pack

ACCESSORIES

3-in-1 Cleaning Kit (CK3N1)

Triple-function Power Lens Cleaner with soft microfiber cleaning cloth and safe, all-natural cleaning solution. Great for cleaning spotting scope, binoculars and camera lenses

Power lens cleaner

- 1 3/4 inches ; 45 mm rubber bulb diameter
- 6 1/2 inches ; 165 mm long

Microfiber cleaning cloth

- 11 3/4 x 11 3/4 inches ; 300 x 300 mm

Cleaning liquid

- Cleaning liquid spray bottle : 30 ml



Alcohol-free, all-natural cleaning solution

Ultra-soft microfiber, non-linting cleaning cloth

6-in-1 Cleaning Kit (CK6N1)

Includes Power Lens Cleaner with soft microfiber cleaning cloth and safe, all-natural cleaning solution. Great for cleaning spotting scope, binoculars and camera lenses.

Power lens cleaner

- 1 3/4 inches ; 45 mm rubber bulb diameter
- 6 1/2 inches ; 165 mm long

Microfiber cleaning cloth

- 11 3/4 x 11 3/4 inches ; 300 x 300 mm

Cleaning liquid

- Cleaning liquid spray bottle : 60 ml

Pre-moistened and dry lens combo

- 6 pcs/set

Cleaning sticks

- 10 pcs/set

Cleaning tissue

- 30 pcs/set

Cleaning kit carrying bag

Alcohol-free, all-natural cleaning liquid and cleaning cloth

Rub tissue. Then apply to lens

Cotton-tipped sticks for cleaning crevices & edges

Optic Guard

Binocular harness evenly distributes weight for comfortable extended use.

Black

Optic Guard

Camouflage

Optic Guard Camo

(Binocular not included)

© Copyright Roger Raglin

ROGER RAGLIN: AMERICA'S WHITETAIL DEER HUNTER

20 years ago, Roger Raglin, a lifelong hunter, was working hard to support his young family and in rare free time, he'd spend it hunting. He never dreamed he'd be the highly-respected hunter and beloved outdoor personality he is today.

Raglin's dedication to the sport, expertise and passion for promoting outdoor and hunting heritage launched a legendary career. He has hosted more than 60 popular award-winning full-length DVDs that are sold around the world. Since the 1990s, Roger Raglin Outdoors has aired regularly on a major cable TV network, earning numerous honors including multiple fan favorite awards. Raglin will host a second TV show to air next year.Raglin is a sought after seminar speaker in and outside of the hunting industry. He is a frequent radio and TV guest on issues related to hunting and is dedicated to preserving outdoor heritage. He is an active member of the National Rifle Association and the Safari Club International.

Raglin is an accomplished marksman with rifle, bow and black powder weapons. He has traveled throughout North America, Africa and South Pacific for big game hunts. Raglin is most well known for his record-holding whitetail deer hunts, earning him the America's Whitetail Deer Hunter title.

Raglin is proudly an industry ambassador for VANGUARD. He actively promotes VANGUARD shooting sticks, sporting optics and other accessories. Specifically, Raglin uses VANGUARD Pro Series, Equalizer and Quest shooting sticks along with Endeavor and Spirit binoculars as well as High Plains spotting scopes.

"I have extremely high standards for the accessories I use," said Raglin. "Many people are unaware of VANGUARD's impressive, comprehensive portfolio that includes binoculars and spotting scopes. When this company does something, they do it right. There's no better feeling that knowing I'm helping shed more light on and introducing hunters to truly quality products."

About 20 years ago, at the suggestion of a friend, Raglin brought a video camera along on a hunt. Family and friends enjoyed the footage so much, they shared with others. Raglin unintentionally grew a small fan base and often dreamed of making a living doing what he loved: spending time in the outdoors and hunting. He had a crazy idea: Maybe other people might like his videos, too.

Raglin approached major video distribution companies and after some persistence, convinced them to take a chance on bringing his hunts to video for public distribution. Among the first in the hunting industry, Raglin's videos brilliantly balanced a natural, down-home style with impressive hunting skills and an unmistakable sense of humor that drew families to watch together. They were instantly successful. The distribution companies agreed to produce more and before long, Roger Raglin hunting videos were widely distributed, from mom-and-pop hunting shops to major retail chains throughout North America and beyond. The rest is history.

Learn more about Raglin at **www.rogerraglin.com.**

PRO series

PATENT PENDING

5-YEAR WARRANTY

VANGUARD Pro Series shooting sticks are loaded with innovative features that will quickly set the industry standard.

With patent pending, its **Y**oke **A**djustment **S**ystem (YAS) offers an adjustable rubber V-shaped yoke, the first of its kind. With a simple push of the button, the head adjusts and locks to 160°, 120° and 80° angles to fit different-sized forearms. Soft rubber fins contour around your firearm's forearm. The head also spins 360° allowing shots from any angle. Its legs include a leg depth scale for water or snow measurement and a removable snow shoe. An ergonomic handle with foam grip and adjustable wrist strap provides for a comfortable grip. Deluxe, strong twist leg locks offer quick height adjustment. Convertible rubber to metal-spiked feet provide increased stability in extreme conditions.

Snow Shoe suitable for different terrains

3 head adjustments include (80°, 120° and 160°) to fit different size forearms

Gun pod easily converts to walking stick with BONUS handle

Gun pod Includes karabiner & wrist strap

Snow shoe Included

PRO M38 - Gun Pod

Gun pod with 38-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height:	22 1/4 inches / 565 mm
Extended Height:	38 inches / 965 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	0.66 lbs / 300 g

PRO M49 - Gun Pod

Gun pod with 49-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height:	26 inches / 660 mm
Extended Height:	49 inches / 1245 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	0.71 lbs / 325 g

PRO M62 - Gun Pod

Gun pod with 62-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height:	30 3/8 inches / 770 mm
Extended Height:	62 inches / 1575mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	0.79 lbs / 360 g

PRO M72 - Gun Pod

Gun pod with 72-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height:	33 5/8 inches / 855 mm
Extended Height:	72 inches / 1830 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	0.87 lbs / 395 g

1/4" - 20 UNC camera screw
* Camera and spotting scope are not included

All-weather foam grips

Leg depth scale for snow
or water measurements

Bi-pod includes center lock

Detachable snow shoes



Feet easily change from rubber to metal tips
for multiple terrain use

PRO B38 - Bi-pod

Bi-pod with 38-inch extended height including snow shoes.

Folded Height: 22 7/8 inches / 580 mm
Extended Height: 38 inches / 965 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.19 lbs / 540g

PRO B62 - Bi-pod

Bi-pod with 62-inch extended height including snow shoes.

Folded Height: 31 1/8 inches / 790 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.43 lbs / 650g

PRO B49 - Bi-pod

Bi-pod with 49-inch extended height including snow shoes.

Folded Height: 26 5/8 inches / 675 mm
Extended Height: 49 inches / 1245 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.29 lbs / 585 g

PRO B72 - Bi-pod

Bi-pod with 72-inch extended height including snow shoes.

Folded Height: 34 1/4 inches / 870 mm
Extended Height: 72 inches / 1830 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.63 lbs / 740 g

PRO series

PATENT PENDING

5-YEAR WARRANTY

Pro Series shooting sticks are loaded with innovative features that will quickly set the industry standard.

No matter if you're a beginner or an expert, these sticks will have you shooting like a pro! Pro tripods have a removable third leg that easily attaches and detaches for additional support.

3 head adjustments include (80°, 120° and 160°) to fit different size forearms

Soft rubber fins contour around firearm's forearm

Adjustable strap

Great value:

Three shooting sticks in one

PRO T38 - Tripod

Tri- pod with 38-inch extended height

Folded Height:	22 7/8 inches / 580 mm
Extended Height:	38 inches / 965 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	1.60 lbs / 725 g

PRO T49 - Tripod

Tri- pod with 49-inch extended height

Folded Height:	26 5/8 inches / 675 mm
Extended Height:	49 inches / 1245 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	1.76 lbs / 800 g

PRO T62 - Tripod

Tri- pod with 62-inch extended height

Folded Height:	31 1/8 inches / 790 mm
Extended Height:	62 inches / 1575mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	1.97 lbs / 895 g

Easily Converts To Gun pod, Bi-pod, And Tripod

EQUALIZER series

Compact and lightweight, Equalizer is a big hit for those wanting a pivoting bi-pod with a low profile for quick deployment.

It has a unique Pull and Position leg adjustment system that enables you to quickly and safely reposition. A buffer spring reduces shock and vibration while providing a solid shooting base. It has a pivot tilt of 0 to 5 degrees and a -30 to +30-degree swing angle. Metal spiked feet that easily convert to rubber and provide extra stability in multiple terrains.

Equalizer 1

Pivot pod with 2-section leg which is suitable for prone-style shooting.

Folded Height: 9 1/2 inches / 240 mm
Extended Height: 13 inches / 330 mm
Diameter of Leg: 14 mm
Number of sections: 2
Weight: 0.74 lbs / 335 g

Equalizer 2

Pivot pod with 3-section leg which is suitable for sitting-style shooting.

Folded Height: 12 3/4 inches / 325 mm
Extended Height: 27 inches / 685 mm
Diameter of Leg: 17 mm
Number of sections: 3
Weight: 0.95 lbs / 430 g

Equalizer 3

Pivot pod with 3-section leg which is suitable for kneeling-style shooting.

Folded Height: 16 inches / 405 mm
Extended Height: 36 inches / 915 mm
Diameter of Leg: 17 mm
Number of sections: 3
Weight: 1.07 lbs / 485 g

Pivots -30° to 30°

Tilts 0° to 5°

Feet easily change from rubber to metal tips for multiple terrain use

Equalizer 1 Prone Style

Equalizer 2 Sitting Style

Equalizer 3 Kneeling Style

LEADER series

5-YEAR WARRANTY

The Leader shooting stick is a true leader in the field with a v-shaped yoke that swivels a full 360° allowing for shots from any angle.

The aluminum alloy legs are durable and lightweight and its ergonomically cushioned foam handle provides a comfortable grip. Leader has rubber tipped feet. Its twist leg locks offer quick height adjustment.

Gun pod easily converts to walking stick with BONUS handle

Gun pod Includes karabiner & wrist strap

Twist lock legs ensure stability

Snow shoe Included

Snow Shoe suitable for different terrains

Leader M38 - Gun Pod

Gun pod with 38-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height: 22 1/2 inches / 545 mm
Extended Height: 38 inches / 965 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 0.57 lbs / 260 g

Leader M49 - Gun Pod

Gun pod with 49-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height: 25 1/4 inches / 640 mm
Extended Height: 49 inches / 1245 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 0.66 lbs / 300 g

Leader M62 - Gun Pod

Gun pod with 62-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height: 29 3/8 inches / 745 mm
Extended Height: 62 inches / 1575mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 0.73 lbs / 330 g

Leader M72 - Gun Pod

Gun pod with 72-inch extended height including karabiner,wrist strap, walking stick handle, and snow shoe.

Folded Height: 32 1/2 inches / 825 mm
Extended Height: 72 inches / 1830 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 0.77 lbs / 350 g

LEADER series

Leader B38 - Bi-pod

Bi-pod with 38-inch extended height including snow shoes.

Folded Height: 22 inches / 560 mm
Extended Height: 38 inches / 965 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.10 lbs / 500 g

Leader B62 - Bi-pod

Bi-pod with 62-inch extended height including snow shoes.

Folded Height: 30 1/2 inches / 775 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.43 lbs / 650 g

Leader B49 - Bi-pod

Bi-pod with 49-inch extended height including snow shoes.

Folded Height: 25 3/4 inches / 655 mm
Extended Height: 49 inches / 1245 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.23 lbs / 560 g

Leader B72 - Bi-pod

Bi-pod with 72-inch extended height including snow shoes.

Folded Height: 33 1/4 inches / 845 mm
Extended Height: 72 inches / 1830 mm
Diameter of Leg: 20 mm
Number of sections: 3
Weight: 1.50 lbs / 680 g

1/4" - 20 UNC camera screw
* Camera and spotting scope are not included

All-weather foam grips

Bi-pod includes center lock

Adjustable strap

Detachable snow shoe



Feet easily change from rubber to metal tips for multiple terrain use

QUEST T62

5-YEAR WARRANTY

Quest T62 is a tripod, bipod and gun pod all in one durable, heavy gauge aluminum alloy shooting stick.

Quest helps you handle the elements with a soft foam, contoured hand grip and anti-slip rubber feet. Its removable V-shaped yoke with rubber fins swivels 360° so you can make shots at every angle without repositioning the shooting stick. Remove the yoke and use its universal 1 / 4" thread bolt with spotting scopes, camcorders or cameras. Best of all, Quest T62 is a great traveler, weighing just over two pounds and folding to less than 2.5 feet in height. Twisting leg locks make height adjustment quick and easy.

Removable V-shaped Yoke With Soft Rubber Fins

Removable third leg brace has 360-degree positioning

All-weather foam grips

Adjustable strap

Quest T62

All-in-one pod includes gun pod, bi-pod, and tri-pod with 62-inch extended height

Folded Height:	28 7/8 inches / 735 mm
Extended Height:	62 inches / 1575 mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	2.25 lbs / 1020 g

3-in-1 Shooting Stick

Tripod,Bi-pod and Gunpod all in one

GMP & GBP series

GMP-1 /2 /3 / 3 Camo Gun Pod

Gun pods includes karabiner & wrist strap

GMP-1

Folded Height:	19 5/8 inches / 500 mm
Extended Height:	38 inches / 965 mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	0.69 lbs / 310 g

GMP-2

Folded Height:	23 5/8 inches / 600 mm
Extended Height:	49 inches / 1245mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	0.76 lbs / 340 g

GMP-3 / 3 Camo

Folded Height:	28 inches / 710 mm
Extended Height:	62 1/2 inches / 1565 mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	0.84 lbs / 380 g

GBP-1 /2 / 2 Camo / 3 Bi-pod

Bi-pods with adjustable strap

GBP-1

Folded Height:	20 5/8 inches / 525 mm
Extended Height:	40 inches / 1015 mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	1.28 lbs / 580 g

GBP-2 / 2 Camo

Folded Height:	27 3/4 inches / 705 mm
Extended Height:	64 inches / 1625mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	1.60 lbs / 730 g

GBP-3

Folded Height:	31 3/4 inches / 805 mm
Extended Height:	72 inches / 1830 mm
Diameter of Leg:	19 mm
Number of sections:	3
Weight:	1.70lbs / 770 g

5-YEAR WARRANTY

GMP Series

GMP has a U-shaped yoke that swivels 360° with a non-slip texture so you can safely position your gun.

Made of heavy-guage, lightweight aluminum alloy construction, it's easily portable. Its leg locks rotate with a simple twist.

Universal 1/4" thread bolt

Gun pod Includes karabiner & wrist strap

5-YEAR WARRANTY

GBP Series

GBP bipods have a U-shaped yoke that swivels 360° with a non-slip texture so you can safely position your gun.

Made of heavy-guage, lightweight aluminum alloy construction, it's easily portable. Its leg locks rotate with a simple twist.

SCOUT & DISPLAY STAND

2- YEAR WARRANTY

Scout Series

Made of lightweight and durable aluminum alloy, Scout is designed for on-the-go hunters.

It is made of lightweight and durable aluminum alloy. Scout's V-shaped yoke is rubber-lined for greater stability for your gun. It swivels 360°for shots from any angle. Quick flip leg locks make height adjustment quick and easy.

All-weather foam grips

Quick flip leg locks

Gun pod includes wrist strap

Adjustable strap (Bi-pod only)

Scout Series

Scout M62 - Gun pod

Gun-pod with 38-inch extended height with wrist strap

Folded Height: 22 inches / 560 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 20 mm
Number of sections: 4
Weight: 0.57 lbs / 260 g

Scout B62 - Bi-pod

Bi-pod with 62-inch extended height

Folded Height: 22 1/4 inches / 565 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 20 mm
Number of sections: 4
Weight: 1.10 lbs / 500 g

Shooting Stick Display Stand

DSO-2

Dimension(cm): 60L x 50D x 170H (cm)
Description: Metal

x 8 PCS


x 2 PCS

Internal Ref: DSS - 2

DSO-3

Dimension(cm): 76L x 50D x 170H (cm)
Description: Metal

x 10 PCS


x 4 PCS

QUICK STICK series

Quick Stick FM 38

Folding gun pod with 38-inch extended height

Folded Height: 11 inches / 280 mm
Extended Height: 38 inches / 965 mm
Diameter of Leg: 13 mm
Number of sections: 4
Weight: 0.40 lbs / 180 g

Quick Stick FM 49

Folding gun pod with 49-inch extended height

Folded Height: 11 3/8 inches / 290 mm
Extended Height: 49 inches / 1245 mm
Diameter of Leg: 13 mm
Number of sections: 5
Weight: 0.46 lbs / 210 g

Quick Stick FM 62

Folding gun pod with 62-inch extended height

Folded Height: 11 3/4 inches / 300 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 13 mm
Number of sections: 6
Weight: 0.55 lbs / 250 g

Quick Stick FB 38

Folding bi-pod with 38-inch extended height

Folded Height: 15 inches / 380 mm
Extended Height: 38 inches / 965 mm
Diameter of Leg: 13 mm
Number of sections: 3
Weight: 0.73 lbs / 330 g

Quick Stick FB 62

Folding bi-pod with 62-inch extended height

Folded Height: 14 3/8 inches / 365 mm
Extended Height: 62 inches / 1575 mm
Diameter of Leg: 13 mm
Number of sections: 5
Weight: 1.06 lbs / 480 g

Quick Stick FB 72

Folding bi-pod with 72-inch extended height

Folded Height: 14 inches / 355 mm
Extended Height: 72 inches / 1830 mm
Diameter of Leg: 13 mm
Number of sections: 6
Weight: 1.21 lbs / 550 g

5-YEAR WARRANTY

Quick Stick is a shooting stick that collapses and sets up in just a few seconds.

It is ultra quiet so you can move from location to location faster and without disturbance. Other features include aluminum legs and metal-tipped feet that make it versatile in any terrain and ready to perform. Its V-shaped rubber yoke provides reliable stability for your gun. Its exclusive Whisper Tek coating and rubber o-ring absorbs sound and reduces vibration so hunters can minimize sound when they're out in the field. It includes a belted holster for convenient travel, unlike most competitive products.

Whisper Tek coating

Exclusive Whisper Tek coating and rubber o-ring absorbs sound and reduces vibration so hunters can minimize sound when they're out in the field.

V shaped gun pod yoke

V shaped Bipod yoke

Tipped feet

Includes belted holster for convenient travel, unlike most competitive products

GUN REST series

NEW

5-YEAR WARRANTY

Steady-Aim Series

Sighting in your weapon or performing routine cleaning & maintenance will be simple with Steady Aim.

With heavy duty 1 1/2" steel construction and smooth precise micro elevation adjustment, sighting in your rifle will be hassle free. Our large central elevation adjustment dial provides -5 to +20 range of movement getting you on target in almost any up range position. An anti vibration pillow securely holds your rifle's forearm and leather sling cradles the stock. We also provide anti slip rubber feet that can convert to spikes for the shooters using this bench on the ground.

Steady-aim

Length: 22 1/2 inches / 570 mm
Width: 12 1/4 inches / 310 mm
Height: 5 7/8 inches / 150 mm
Tilt: -5° ~ 20°
Weight: 8.80 lbs / 4.00 kg



Patented Quick Drop Locking System for fast micro elevation adjustment

Anti-Vibration Pillow securely holds forearm

Butt stock sling tightly cradles stock

Anti-slip rubber feet

NEW

5-YEAR WARRANTY

Porta-Aim Series

For the hunter who needs a portable shooting rest, we offer Porta Aim.

Constructed of rugged aluminum, the benefit of this portable base will eliminate any doubt that can erode a hunter's confidence.
The pillow swivels 360 degrees allowing you to get on target fast and staying on target.

Porta-Aim

Folded height: 12 1/4 inches / 310 mm
Width: 5 3/4 inches / 145 mm
Extended height: 8 7/8 ~ 12 5/8 inches
225 ~ 320 mm
Swivel: 0 ~ 360°
Weight: 1.76 lbs / 0.80 kg

SPECIFICATIONS

PRO series

	Folded Height		Extended Height		Diameter of Leg (mm)	Number of Sections	Rubber Feet	Weight	
	inches	mm	inches	mm				lbs	g
PRO M38	22 1/4	565	38	965	20	3	●	0.66	300
PRO M49	26	660	49	1245	20	3	●	0.71	325
PRO M62	30 3/8	770	62	1575	20	3	●	0.79	360
PRO M72	33 5/8	855	72	1830	20	3	●	0.87	395
PRO B38	22 7/8	580	38	965	20	3	●	1.19	540
PRO B49	26 5/8	675	49	1245	20	3	●	1.29	585
PRO B62	31 1/8	790	62	1575	20	3	●	1.43	650
PRO B72	34 1/4	870	72	1830	20	3	●	1.63	740
PRO T38	22 7/8	580	38	965	20	3	●	1.60	725
PRO T49	26 5/8	675	49	1245	20	3	●	1.76	800
PRO T62	31 1/8	790	62	1575	20	3	●	1.97	895

Equalizer series

Equalizer 1	9 1/2	240	13	330	14	2	●	0.74	335
Equalizer 2	13 3/4	325	27	685	17	3	●	0.95	430
Equalizer 3	16	405	36	915	17	3	●	1.07	485

Leader series

Leader M 38	21 1/2	545	38	965	20	3	●	0.57	260
Leader M 49	25 1/4	640	49	1245	20	3	●	0.66	300
Leader M 62	29 3/8	745	62	1575	20	3	●	0.73	330
Leader M 72	32 1/2	825	72	1830	20	3	●	0.77	350
Leader B 38	22	560	38	965	20	3	●	1.10	500
Leader B 49	25 3/4	655	49	1245	20	3	●	1.23	560
Leader B 62	30 1/2	775	62	1575	20	3	●	1.43	650
Leader B 72	33 1/4	845	72	1830	20	3	●	1.50	680

Quest T62

	Folded Height		Extended Height		"V" Panhead	Diameter of Leg (mm)	Number of Sections	Rubber Feet	Weight	
	inches	mm	inches	mm					lbs	g
Quest T62	28 7/8	735	62	1575	●	19	3	●	2.25	1020

GMP & GBP series

GMP-1	19 5/8	500	38	965	●	19	3	●	0.69	310
GMP-2	23 5/8	600	49	1245	●	19	3	●	0.76	340
GMP-3	28	710	61 1/2	1565	●	19	3	●	0.84	380
GMP-3 Camo	28	710	61 1/2	1565	●	19	3	●	0.84	380
GBP-1	20 5/8	525	40	1015	●	19	3	●	1.28	580
GBP-2	27 3/4	705	64	1625	●	19	3	●	1.60	730
GBP-2 Camo	27 3/4	705	64	1625	●	19	3	●	1.60	730
GBP-3	31 3/4	805	72	1830	●	19	3	●	1.70	770

Scout series

Scout M62	22	560	62	1575	●	20	4	●	0.57	260
Scout B62	22 1/4	565	62	1575	●	20	4	●	1.10	500

Quick stick series

	Folded Height		Extended Height		Diameter of Leg (mm)	Number of Sections	Metal Feet	Weight	
	inches	mm	inches	mm				lbs	g
Quick Stick FM 38	11	280	38	965	13	4	●	0.40	180
Quick Stick FM 49	11 3/8	290	49	1245	13	5	●	0.46	210
Quick Stick FM 62	11 3/4	300	62	1575	13	6	●	0.55	250
Quick Stick FB 38	15	380	38	965	13	3	●	0.73	330
Quick Stick FB 62	14 3/8	365	62	1575	13	5	●	1.06	480
Quick Stick FB 72	14	355	72	1830	13	6	●	1.21	550

TRACKER series

LIMITED LIFETIME WARRANTY

Durable, steady and oh so reliable. Photographers and videographers around the world rely on Tracker's unique blend of stability and flexibility.

It holds heavy gear with exceptional reliability and its legs adjust to three angles for use on uneven ground and low angle shooting. Sturdy aluminum legs enable shake-free filming and reduce camera vibration. Its pan head enables smooth movement of the camera with little effort.

Additional large format equipment 3/8" quick shoes

Safety lock

Adjust lock tension by using the wrench

Tracker 1 / 2

Aluminum alloy tripod with 1 long-handle 3-way pan head, PH-50 head (Removable head) and a bonus carrying strap

Tracker 1

Folded Height:	38 3/8 inches / 720 mm
Extended Height:	67 1/2 inches / 1715 mm
Diameter of Leg:	28 mm
Number of sections:	3
Weight:	6.64 lbs / 3.01 kg
Max. Loading:	18.0 lbs / 8.0 kg
Pan head:	PH-50
Quick shoe:	QS-39 , QS-40
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

Tracker 2

Folded Height:	29 1/2 inches / 750 mm
Extended Height:	72 5/8 inches / 1845 mm
Diameter of Leg:	32 mm
Number of sections:	3
Weight:	7.45 lbs / 3.38 kg
Max. Loading:	22.0 lbs / 10.0 kg
Pan head:	PH-50
Quick shoe:	QS-39 , QS-40
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

Deluxe Carrying Strap



Alta+ series

Alta+ 233A0

Aluminum alloy tripod with a 1-handle, 2-way pan head -PH-21 (Removable head) and a bonus carrying bag

Folded Height:	24 inches / 610 mm
Extended Height:	57 1/8 inches / 1450 mm
Diameter of Leg:	23 mm
Number of sections:	3
Weight:	3.53 lbs / 1.60 kg
Max. Loading:	6.6 lbs / 3.0 kg
Pan head:	PH-21
Quick shoe:	QS-52
Tilt(180°):	+90° ~ -60°
Swivel:	360°

Alta+ 264A0

Aluminum alloy tripod with a 1-handle, 2-way pan head - PH-31 (Removable head) and a bonus carrying bag

Folded Height:	25 3/8 inches / 645 mm
Extended Height:	70 1/8 inches / 1780 mm
Diameter of Leg:	26 mm
Number of sections:	4
Weight:	4.63 lbs / 2.10 kg
Max. Loading:	11.0 lbs / 5.0 kg
Pan head:	PH-31

LIMITED LIFETIME WARRANTY

Lightweight Alta+ is perfect for travel and backpacking. Alta+ combines ultra stability, durability, ease of use and reliability every photographer needs.

Its legs adjust to 25, 50 and 80-degree angles with a simple push of easy-release buttons for easy terrain changes and low angle-shooting. Other features include advanced camera vibration and shock control, all-weather foam grip legs, patented premium magnesium die-cast canopy and head, non-slip, spiked rubber feet for changing terrains, and a removable hook for hanging camera accessories.

Using a 1-handle pan head helps to catch fast-moving objects

Adjustable gravity center (PH-21/31 only)

Arched Design

Bubble levels

ESPOD Plus series

NEW

5-YEAR WARRANTY

Espod Plus is a must-have aluminum tripod for photographers who need a sturdy, yet lightweight and compact tripod that's simple to set up and take down.

Get your camera in position quickly with Espod Plus's unique, ergonomic leg angle release button, enabling effortless adjustment to 25°, 50°, and 80° angles. It's flexible, too, with a detachable low angle adaptor so you can reverse the center column and the position of the camera for macro photography. Available with a pan head.



Anti-shock ring prevents camera vibration

Strong aluminum alloy canopy

Central column tightening ring

Disk bubble level on canopy

Espod Plus 203AP

Aluminum alloy tripod with a compact 3-way pan head

Folded Height:	22 1/2 inches / 570 mm
Extended Height:	57 1/8 inches / 1450 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	2.87 lbs / 1.30 kg
Max. Loading:	4.4 lbs / 2.0 kg
Pan head:	MH-2
Quick shoe:	QS-36
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

Espod Plus 233AP

Aluminum alloy tripod with a compact 3-way pan head

Folded Height:	22 7/8 inches / 580 mm
Extended Height:	57 1/8 inches / 1450 mm
Diameter of Leg:	23 mm
Number of sections:	3
Weight:	3.31 lbs / 1.50 kg
Max. Loading:	6.6 lbs / 3.0 kg
Pan head:	MH-3
Quick shoe:	QS-36
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

BONUS
Dual Functions

Central Column Adapts for Low-angle Photography

ESPOD series

Espod 203AP

Aluminum alloy tripod with a compact 3-way pan head

Folded Height:	22 1/2 inches / 570 mm
Extended Height:	57 1/8 inches / 1450 mm
Diameter of Leg:	20mm
Number of sections:	3
Weight:	2.91 lbs / 1.32 kg
Max. Loading:	4.4 lbs / 2.0 kg
Pan head:	MH-2
Quick shoe:	QS-36
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

Espod 233AP

Aluminum alloy tripod with a 1-handle 3-way pan head

Folded Height:	24 1/2 inches / 620 mm
Extended Height:	65 inches / 1650 mm
Diameter of Leg:	23mm
Number of sections:	3
Weight:	3.97 lbs / 1.80 kg
Max. Loading:	6.6 lbs / 3.0 kg
Pan head:	MH-3
Quick shoe:	QS-36
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°

Macro Photography

Meets various angled photography

NEW

5-YEAR WARRANTY

Espod was made for the enthusiast photographer looking for a steady, easy-to-use tripod with special features that enhance quality shooting.

Espod's legs can be adjusted to a 25-degree angle.There is a tightening ring on the center column that enables you to adjust the column in just a few seconds and an anti-shock ring that prevents camera vibration. Other features include a bubble level for precision, detachable center column hook to attach more weight for added stability, anti-slip rubber feet, quick flip leg locks, removable quick shoe, and two foam grips.

Sets Up In A Few *SECONDS*

Detachable Accessory Hook

Anti-shock ring prevents camera vibration

Strong aluminum alloy canopy

Central column tightening ring

Disk bubble level on canopy

MK series

2- YEAR WARRANTY

MK tripods offer all of the standard tripod features including lightweight aluminum alloy legs, quick flip leg locks, rubber feet and a bubble level.

Elevator gear

Brace lock to enhance stability

Easy-to-carry handle (MK-4 only)

MK-1

Folded Height:	20 1/2 inches / 520 mm
Extended Height:	52 inches / 1320 mm
Diameter of Leg:	20mm
Number of sections:	3
Weight:	1.63 lbs / 0.74 kg
Max. Loading:	6.6 lbs / 3.0 kg

MK-2 / 3 / 4

MK-2

Folded Height:	22 inches / 560 mm
Extended Height:	56 1/8 inches / 1425 mm
Diameter of Leg:	20 mm
Number of sections:	3
Weight:	1.98 lbs / 0.90 kg
Max. Loading:	6.6 lbs / 3.0 kg

MK-3

Folded Height:	22 7/8 inches / 580 mm
Extended Height:	58 1/2 inches / 1485 mm
Diameter of Leg:	23 mm
Number of sections:	3
Weight:	2.42 lbs / 1.10 kg
Max. Loading:	6.6 lbs / 3.0 kg

MK-4

Folded Height:	24 1/4 inches / 615 mm
Extended Height:	63 3/4 inches / 1620 mm
Diameter of Leg:	27 mm
Number of sections:	3
Weight:	3.26 lbs / 1.48 kg
Max. Loading:	6.6 lbs / 3.0 kg



OP / TIK 4 Camo
SP-31

OP / TIK 4 Camo

Folded Height: 27 1/4 inches / 690 mm
Extended Height: 67 7/8 inches / 1725 mm
Diameter of Leg: 22 mm
Number of sections: 3
Max. Loading: 8.8 lbs / 4.0 kg
Weight: 3.85 lbs / 1750 g

Bubble level

Easy-to-carry handle

SP-31

Folded Height: 13 3/8 inches / 340 mm
Extended Height: 12 inches / 305 mm
Diameter of Leg: 32 mm
Number of sections: 1
Max. Loading: 11.0 lbs / 5.0 kg
Weight: 1.26 lbs / 600 g

2-YEAR WARRANTY

OP / TIK 4 Camo

A perfect tripod with all of the essentials for the demanding hunter.
OP/TIK 4 Camo tripod is great for the hunter who needs a strong canopy to support cameras and spotting scopes.

It features a two-way pan head, bubble level and easy-to-carry handle. The elevating gear operates with ease.

5-YEAR WARRANTY

SP-31

SP-31 goes into market with VANGUARD innovation and quality. The unique folded design makes it ultra compact.

When extended, its aluminum extrusion tubes provides an outstanding stable base for the equipment. It also features a quick height adjustable center column, micro adjustment options, durable, all-metal construction and an easy-to-swivel head.

WINDOW MOUNT

NEW

5-YEAR WARRANTY
PH-222/PH-242
PH-230/PH-240

2- YEAR WARRANTY
PH-201
PH-304

Capture the moment no matter the location. No tripod? No problem. PH pan heads have unique bases and non-slip platforms.

They easily attach to vehicle windows, tripods, tubular structures and others, enabling steady use of cameras, camcorders or spotting scopes for effortless panning.

Securely mounts to vehicle windows of varying widths

Enables tripods to hold multiple gear such as a spotting scope and camera or two cameras. Capture a variety of frames without movement and adjustment.

For nature excursions, skip the tripod and save space. PH mounts to trees branches, fences, park signs and other common objects.

PH-240's V-grooved clamp provides ultra secure attachment to tubes and tripod legs

PH-222

3-way fluid head,quick release platform

Height:	5 7/8 inches / 150 mm
Tilt(180°):	+90° ~ -60°
Tilt(90°):	+0° ~ +90°
Swivel:	360°
Weight:	21.9 oz / 622 g
Max. Loading:	4.4 lbs / 2.0 kg
Quick shoe:	QS-36
Clamp:	7/8 inches / 22 mm

PH-242

Bubble level, large quick release platform with weight balancing adjustment, dual safety release quick shoe level, 2-way fluid pan head. Extra-wide base enables mounting to decks and two-by-four inch-constructed stands.

Height:	6 7/8 inches / 175 mm
Tilt(180°):	+90° ~ -60°
Swivel:	360°
Weight:	24.9 oz / 705 g
Max. Loading:	6.6 lbs / 3.0 kg
Quick shoe:	QS-52
Clamp:	1 5/8 inches / 42 mm

PH-230

Quick access with mini ball head

Height:	6 inches / 152 mm
Tilt(180°):	+90° ~ -35°
Swivel:	360°
Weight:	16.2 oz / 460 g
Max. Loading:	11.0 lbs / 5.0 kg
Clamp:	7/8 inches / 22 mm

PH-240

Dual bubble level; quick release platform with side clamp locking dial; compact ball head

Height:	6 1/2 inches / 165 mm
Tilt(180°):	+90° ~ -35°
Swivel:	360°
Weight:	20.6 oz / 585 g
Max. Loading:	11.0 lbs / 5.0 kg
Quick shoe:	QS-39
Clamp:	1 1/4 inches / 32 mm

PH-201

2-way fluid pan head; all metal; quick release non-slip platform.

Height:	4 3/8 inches / 110 mm
Tilt(180°):	+90° ~ -60°
Swivel:	360°
Weight:	13.9 oz / 395 g
Max. Loading:	4.4 lbs / 2.0 kg
Clamp:	7/8 inches / 22 mm

PH-304

1.25" base for use on many surfaces; 3-way fluid pan head; all metal; quick release non-slip platform.

Height:	5 3/4 inches / 110 mm
Tilt(180°):	+90° ~ -35°
Tilt(90°):	+0° ~ +90°
Swivel:	360°
Weight:	25.7 oz / 730 g
Max. Loading:	8.8 lbs / 4.0 kg
Quick shoe:	QS-36
Clamp:	1 1/4 inches / 32 mm

TABLETOP & CAMOUFLAGE TRIPODS

VS-30

Folded Height:	7 7/8 inches / 200 mm
Extended Height:	4 3/8 inches / 110 mm
Diameter of Leg:	15mm
Number of sections:	1
Max. Loading:	2.2 lbs / 1.0 kg
Weight:	0.79 lbs / 360 g

VS-34

Folded Height:	7 7/8 inches / 200 mm
Extended Height:	5 3/8 inches / 136 mm
Diameter of Leg:	15mm
Number of sections:	1
Max. Loading:	2.2 lbs / 1.0 kg
Weight:	0.90 lbs / 410 g

VS-80

Folded Height:	8 5/8 inches / 220 mm
Extended Height:	8 1/4 inches / 210 mm
Diameter of Leg:	20mm
Number of sections:	1
Max. Loading:	5.5 lbs / 2.5 kg
Weight:	0.73 lbs / 330 g

VS-82

Folded Height:	9 inches / 230 mm
Extended Height:	9 7/8 inches / 250 mm
Diameter of Leg:	20 mm
Number of sections:	2
Max. Loading:	5.5 lbs / 2.5 kg
Weight:	0.86 lbs / 390 g

VS-86

Folded Height:	9 inches / 230 mm
Extended Height:	10 inches / 255 mm
Diameter of Leg:	20mm
Number of sections:	3
Max. Loading:	5.5 lbs / 2.5 kg
Weight:	0.88 lbs / 400 g

LITE 1

Folded Height:	11 3/4 inches / 300 mm
Extended Height:	20 1/2 inches / 520 mm
Diameter of Leg:	20mm
Number of sections:	3
Max. Loading:	5.5 lbs / 2.5 kg
Weight:	1.34 lbs / 610 g

LITE 4 Camo

Folded Height:	11 3/4 inches / 300 mm
Extended Height:	20 1/2 inches / 520 mm
Diameter of Leg:	20mm
Number of sections:	3
Max. Loading:	5.5 lbs / 2.5 kg
Weight:	1.48 lbs / 670 g

MARS 1 OS

Folded Height:	14 1/8 inches / 360 mm
Extended Height:	23 inches / 585 mm
Diameter of Leg:	20mm
Number of sections:	3
Max. Loading:	6.6 lbs / 3.0 kg
Weight:	2.13 lbs / 960 g

GH-100 & SPECIFICATIONS

NEW

LIMITED LIFETIME WARRANTY

GH-100

Designed for use with cameras and spotting scopes, GH-100 well-engineered ball head has an industry-leading trigger-grip style handle that enables you to unlock, reposition and lock gear into place with ease. The handle has five click-stop positions from -90 to +90 degrees.

Depression of the handle allows 360-degrees of lateral movement. It instantly locks into place with simple release of the handle. Additional impressive features include its friction adjustment system that allows you to modify the level of friction on the ball to accommodate changing equipment weight such as heavier lenses.

GH-100

Height:	7 1/8 inches / 180 mm
Tilt(180°):	+90° ~ -30°
Tilt(90°):	+90° ~ -10°
Swivel:	360°
Weight:	16.5 lbs / 750 g
Max. Loading:	13.2 lbs / 6.0 kg

5-stop easy position

Friction Adjustment System

+35° ~-35° tilt

-25° ~+90° lateral

Tripod, Quick Shoe, Ball head and Pan head Compatibilities

	QUICK SHOES									PLATEFORMS		PAN HEADS										BALL HEADS							
	QS-29	QS-36	QS-39	QS-40	QS-45	QS-46	QS-50	QS-51	QS-52	PQ-45	PQ-46	PH-12	PH-21	PH-22	PH-31	PH-32	PH-35	PH-42	PH-50	PH-55	MH-2	MH-3	SBH-20P	SBH-20	SBH-30	SBH-50	SBH-100	SBH-200	SBH-250	SBH-300
Tracker 1			●	●											○	○		○	●	○							○		○	○
Tracker 2			●	●											○	○		○	●	○							○		○	○
Alta Plus 233AO									●				●	○											○	○				
Alta Plus 264AO									●						●	○		○							○	○	○			
Espod Plus 203AP		●											○	○							●		○	○	○					
Espod Plus 233AP		●											○	○								●			○	○				
Espod 203AP		●											○	○							●		○	○	○					
Espod 233AP		●											○	○								●			○	○				
MK-1													○	○							●		○	○	○					
MK-2	●																													
MK-3	●																													
MK-4	●																													

SPECIFICATIONS

Tracker series

	Folded Height		Extended Height		Minimum extended Height		Macro Height		Diameter of Leg (mm)	Panhead Movements	Heads	Quick Shoe	Number of Sections	Max. Loading		Weight	
	inches	mm	inches	mm	inches	mm	inches	mm						lbs	kg	lbs	kg
Tracker 1	38 3/8	720	67 1/2	1715	56 3/4	1440	5 1/2	140	28	3	PH-50	QS-39 QS-40	3	18.0	8.0	6.64	3.01
Tracker 2	29 1/2	750	72 5/8	1845	60 1/4	1530	6 1/8	155	32	3	PH-50	QS-39 QS-40	3	22.0	10.0	7.45	3.38

Alta Plus series

Alta Plus 233AO	24	610	57 1/8	1450	46 5/8	1185	4 7/8	125	23	2	PH-21	QS-52	3	6.6	3.0	3.53	1.60
Alta Plus 264AO	25 3/8	645	70 1/8	1780	59 5/8	1515	5 1/8	130	26	2	PH-31	QS-52	4	11.0	5.0	4.63	2.10

Espod[Plus] & Espod series

Espod Plus 203AP	22 1/2	570	57 1/8	1450	48 5/8	1235	8	205	20	3	MH-2	QS-36	3	4.4	2.0	2.87	1.30
Espod Plus 264AP	20 1/2	520	57 1/8	1450	45 7/8	1165	7 2/3	195	20	3	MH-2	QS-36	4	4.4	2.0	2.98	1.35
Espod 203AP	22 1/2	570	57 1/8	1450	48 1/2	1235			20	3	MH-2	QS-36	3	4.4	2.0	2.91	1.32
Espod 233AP	24 1/2	620	65	1650	51 1/8	1300	—	—	23	3	MH-3	QS-36	3	6.6	3.0	3.97	1.80

MK series

MK-1	22 1/2	570	57 1/8	1450	48 1/2	1235	—	—	20	3	—	QS-36	3	4.4	2.0	2.91	1.32
MK-2	24 1/2	620	65	1650	51 1/8	1300	—	—	23	3	—	QS-36	3	6.6	3.0	3.97	1.80
MK-3	22 1/2	570	57 1/8	1450	48 1/2	1235	—	—	20	3	—	QS-36	3	4.4	2.0	2.91	1.32
MK-4	24 1/2	620	65	1650	51 1/8	1300	—	—	23	3	—	QS-36	3	6.6	3.0	3.97	1.80

OP / TIK 4 Camo & SP-31

OP/TIK 4 Camo	22 1/2	570	57 1/8	1450	48 1/2	1235	—	—	20	3	—	QS-36	3	4.4	2.0	2.91	1.32
SP-31	24 1/2	620	65	1650	51 1/8	1300	—	—	23	3	—	QS-36	3	6.6	3.0	3.97	1.80

Pan Head series

	Tilt(180°)	Tilt(90°)	Swivel	Max. Loading		Weight		Height	
				kg	lbs	oz	g	inches	mm
MH-2	+90°~-60°	0°~+90°	360°	2.0	4.4	11.6	330	2 3/4	70
MH-3	+90°~-60°	0°~+90°	360°	3.0	6.6	13.8	390	2 7/8	72
PH-21	+90°~-60°	—	360°	3.0	6.6	12.3	350	3 3/4	95
PH-31	+90°~-60°	—	360°	5.0	11.0	15.2	430	4 5/8	118
PH-50	+90°~-60°	0°~+90°	360°	8.0	18.0	24.7	700	4 1/2	115
PH-222	+90°~-60°	0°~+90°	360°	2.0	4.4	21.9	622	5 7/8	150
PH-230	+90°~-35°	—	360°	5.0	11.0	16.2	460	6	152
PH-240	+90°~-35°	—	360°	5.0	11.0	20.6	585	6 1/2	165
PH-242	+90°~-60°	—	360°	3.0	6.6	24.9	705	6 7/8	175
PH-201	+90°~-60°	—	360°	2.0	4.4	13.9	395	4 3/8	110
PH-304	+90°~-60°	0°~+90°	360°	4.0	8.8	25.7	730	5 3/4	145

Tabletop Camouflage Tripods

	Folded Height		Extended Height		Diameter of Leg (mm)	Panhead Movements	Number of Sections	Max. Loading		Weight	
	inches	mm	inches	mm				lbs	kg	oz	g
VS-30	7 7/8	200	4 3/8	110	15	2	1	2.2	1.0	12.7	360
VS-34	7 7/8	200	5 3/8	136	15	Ball	1	2.2	1.0	14.5	410
VS-80	8 5/8	220	8 1/4	210	20	2	1	5.5	2.5	11.6	330
VS-82	9	230	9 7/8	250	20	2	2	5.5	2.5	13.8	390
VS-86	9	230	10	255	20	Ball	3	5.5	2.5	14.1	400
MARS 1 OS	14 1/8	360	23	585	20	3	3	6.6	3. 0	14.1	400
LITE 1	11 3/4	300	20 1/2	520	20	2	3	5.5	2.5	14.1	400
LITE 4 Camo	11 3/4	300	20 1/2	520	20	3	3	5.5	2.5	14.1	400

GH-100

	Tilt(180°)	Tilt(90°)	Swivel	Max. Loading		Weight		Height	
				lbs	kg	lbs	g	inches	mm
GH-100	+90°~-30°	+90°~-10°	360°	13.2	6.0	16.5	750	7 1/8	180

© Copyright Heiner and Rosamaria Kubny

GUN AND BOW CASES FOR HARDCORE HUNTERS

You've heard those stories of hunts ruined because of damaged weapons in cases that failed to protect during rough airline travel.

VANGUARD's product development team includes lifelong, hardcore hunters who travel frequently and draw heavily from their personal experiences to effectively guide the development of VANGUARD products.

That's why, down to every small detail like steel-reinforced padlock holders and customizable cushioning, VANGUARD hard cases are made to take on rough travel and provide ultimate protection for your firearms and bows.

After conceptual development, our rugged gun and bow cases undergo multiple-step durability testing. Testing includes packing each case with 60 pounds (25 kg) of weight and raising and lowering the case to hit the ground with force. After completing this step about 1,000 times, all products are thoroughly evaluated for wear. Adaptations are made until we achieve the excellence you demand from VANGUARD.

It's the reason thousands of hunters around the world rely on Guardforce hard cases.

SUPREME series

AIRLINE APPROVED

LIMITED LIFETIME WARRANTY

3-YEAR WARRANTY

Supreme 27F/37F/38F Supreme 40F / 46F | Supreme 53F

Virtually indestructible, the rugged Vanguard Supreme Series hard cases have innovative features for unmatched strength and durability.

They are O-ring sealed, waterproof (up to a depth of 16.5 feet / 5 meters), airtight, and built to withstand the most extreme conditions (-40°F / -40°C to +203°F/ +95°C). Supreme cases are great for airline travel with an automatic pressure equalization valve and ability to support up to 265 lbs / 120 kg of exterior weight. Anti-slip rubber feet and a solid carrying handle offer extra durability. Thick, quick-release latches lock in place and steel-reinforced lock holders are great for use with pad locks for added security.

Extremely strong & protective

Strong, thick latches and steel-reinforced pad lock holders (locks not included)

Customizable hexagon-shaped foam

Supreme 27F / 37F / 40F

Supreme 27F

Inside Dimensions:	9 7/8 x 7 1/2 x 5 7/8 inches 250 x 190 x 150 mm
Outside Dimensions:	11 x 9 7/8 x 6 3/4 inches 280 x 250 x 170 mm
Weight:	4.19 lbs / 1.90 kg

Supreme 37F

Inside Dimensions:	15 x 10 1/4 x 6 7/8 inches 380 x 260 x 175 mm
Outside Dimensions:	16 3/8 x 12 3/4 x 7 5/8 inches 415 x 325 x 195 mm
Weight:	8.60 lbs / 3.90 kg

Supreme 40F

Inside Dimensions:	16 7/8 x 11 5/8 x 6 7/8 inches 430 x 295 x 175 mm
Outside Dimensions:	18 1/4 x 14 3/8 x 7 5/8 inches 465 x 365 x 195 mm
Weight:	9.70 lbs / 4.40 kg

Supreme 38F

Inside Dimensions:	16 7/8 x 11 5/8 x 4 1/8 inches 430 x 295 x 105 mm
Outside Dimensions:	18 1/4 x 14 3/8 x 4 7/8 inches 465 x 365 x 125 mm
Weight:	7.05 lbs / 3.20 kg

Supreme 46F

Inside Dimensions:	18 7/8 x 14 5/8 x 7 7/8 inches 480 x 370 x 200 mm
Outside Dimensions:	20 1/4 x 17 1/8 x 8 5/8 inches 515 x 435 x 220 mm
Weight:	14.99 lbs / 6.80 kg

With wheels on the size 53

Supreme 53F

Inside Dimensions:	22 x 17 3/4 x 7 7/8 inches 560 x 450 x 200 mm
Outside Dimensions:	24 3/4 x 20 1/2 x 9 1/2 inches 630 x 520 x 240 mm
Weight:	22.93 lbs / 10.40 kg

VGP series

VGP-3200 / 3201 / 3202

VGP-3200

Inside Dimensions:	8 3/4 x 6 7/8 x 3 7/8 inches 220 x 175 x 85 mm
Outside Dimensions:	9 1/2 x 7 1/2 x 4 inches 240 x 190 x 100 mm
Weight:	2.42 lbs / 1.10 kg

VGP-3201

Inside Dimensions:	11 1/4 x 6 7/8 x 3 3/8 inches 285 x 175 x 85 mm
Outside Dimensions:	11 7/8 x 7 1/2 x 3 7/8 inches 300 x 190 x 100 mm
Weight:	2.76 lbs / 1.25 kg

VGP-3202

Inside Dimensions:	12 3/8 x 9 5/8 x 4 1/2 inches 315 x 245 x 115 mm
Outside Dimensions:	13 x 10 1/4 x 5 1/8 inches 330 x 260 x 130 mm
Weight:	4.14 lbs / 1.88 kg

VGP-13S / 13

VGP-13S

Inside Dimensions:	15 1/8 x 9 1/4 x 6 3/8 inches 385 x 235 x 160 mm
Outside Dimensions:	15 3/4 x 9 7/8 x 6 7/8 inches 400 x 250 x 175 mm
Weight:	5.80 lbs / 2.63 kg

VGP-13

Inside Dimensions:	17 1/2 x 12 1/8 x 6 inches 445 x 310 x 150 mm
Outside Dimensions:	18 1/8 x 12 3/4 x 7 5/8 inches 460 x 325 x 170 mm
Weight:	7.01 lbs / 3.18 kg

VGP-300W / VGP-310W

VGP-300W

Inside Dimensions:	20 7/8 x 13 3/8 x 7 1/4 inches 530 x 340 x 185 mm
Outside Dimensions:	21 1/2 x 14 x 8 inches 545 x 335 x 205 mm
Weight:	14.33 lbs / 6.50 kg

VGP-310W

Inside Dimensions:	22 7/8 x 14 3/8 x 7 1/4 inches 585 x 370 x 185 mm
Outside Dimensions:	23 1/2 x 15 x 8 inches 600 x 380 x 205 mm
Weight:	16.09 lbs / 7.30 kg

2- YEAR WARRANTY

There's a good reason VGP cases are our best selling cases: Durable and strong, VGP cases are made of solid aluminum alloy with a sleek, professional style.

The interior has adjustable dividers and customizable foam for a secure fit for your gear. Great for airport travel, they're rugged and ready to withstand rough travel. They boast a comfortable handle and removable reinforced carrying strap. Includes dual locks with two keys.

Removable Dividers

Reinforced carrying strap

X-VAULT 86C & AXIOM series

AIRLINE APPROVED

NEW

3-YEAR WARRANTY

X-Vault Series

X-Vault is designed to fit today's modern crossbows.

The upper and lower lids are solid one piece HDPE construction making this case lightweight yet strong. Security is well thought out with 3 high quality metal "Key Lock" latches. Inside this durable case you'll find high impact foam in the cam area, dual tie down straps to secure your crossbow, a bolt holder system that safely houses 6 bolts, and a large "Padded" scope cavity.
X-Vault is o-ring sealed for water, dust and dirt resistance.

AIRLINE APPROVED

5-YEAR WARRANTY

Axiom Series

Axiom 83C bow case offers a unique balance of strength and a lightweight design.

The advanced use of HDPE in combination with outer rib design adds the needed strength and durability to protect expensive equipment while minimizing overall weight (under 12 lbs). Axiom 83C offers many quality features including four push button latches (two keyed) providing solid closure, adjustable arrow holders for customized placement and four Velcro® tie-down straps which secure your bow while in transit. Axiom 83C fits many of today's high-tech parallel limb bows.

X-Vault 86C

Crossbow case with a 6 bolt holder system, 3 metal key lock latches, and cam area high impact foam.

Inside Dimensions:	40 3/4 x 32 7/8 x 12 1/4 inches 1035 x 835 x 310 mm
Outside Dimensions:	41 3/8 x 33 1/2 x 12 3/4 inches 1050 x 850 x 320 mm
Exterior:	HDPE
Lock Style:	Key lock latches
Weight:	15.10 lbs / 6.85 kg

Key lock latches

6 bolt holder system


Deluxe carrying handle

Axiom 83C

Inside Dimensions:	41 1/2 x 16 1/2 x 6 1/4 inches 1080 x 420 x 160 mm
Outside Dimensions:	43 1/8 x 17 1/8 x 7 1/4 inches 1095 x 435 x 185 mm
Exterior:	Black HDPE
Lock Style:	Key lock latches + lock latches
Weight:	11.24 lbs / 5.10 kg

2 key lock latches

Adjustable arrow holders
(holds up to 12 arrows)

Velcro tie down straps

SABERLOCK & GDS-6288ZW

Larger size

Saberlock 83C / 83Z

Inside Dimensions:	40 x 18 3/8 x 7 inches 1015 x 465 x 175 mm
Outside Dimensions:	42 1/2 x 20 3/4 x 7 3/4 inches 1080 x 525 x 195 mm
Exterior:	600D polyester + PE (83C) Camouflage pattern 600D polyester inlay (83Z)
Lock Style:	Numeric key locks + Key locks + Pad lock receptacles (pad locks not included)
Weight:	15.87 lbs / 7.20 kg

With wheels

GDS-6288ZW

Inside Dimensions:	40 x 17 3/8 x 10 inches 1015 x 440 x 255 mm
Outside Dimensions:	42 1/2 x 19 3/4 x 10 3/4 inches 1080 x 500 x 275 mm
Exterior:	Camouflage polyester + PE
Lock Style:	Numeric key locks + Key locks + Pad lock receptacles (pad locks not included)
Weight:	18.52 lbs / 8.40 kg

NEW

5-YEAR WARRANTY

AIRLINE APPROVED

Saberlock Series

Vanguard's bestselling bow case just got better. Modeled after the GDS-6200 series, the Saberlock with an expanded height and width of one inch, fits today's radical riser designs. It's a hardcore bow protector with Velcro tie-down straps, thick foam and secure holders for up to 12 arrows.

Key lock

Velcro tie down straps

AIRLINE APPROVED

3- YEAR WARRANTY

GDS-6288ZW

The GDS 6288ZW is hardcore bow protector and VANGUARD's bestseller for archery pros around the world. It holds two bows or one with an attached quiver. Travel is easy with two handles and wheels.

HD series

AIRLINE APPROVED

5-YEAR WARRANTY
HD 30 / 52

3-YEAR WARRANTY
HD 70W

HD Series cases are airline-approved and made to protect your valuable firearms with durability you can depend on.

Whether you travel with your firearms to Colorado for elk hunting or around the world for exotic animals, this is the case for you. Constructed of solid 0.063 grade aluminum alloy, HD cases are built for rough travel. Impact-resistant welded corners keep HD cases performing trip after trip, year after year. A tension spring carrying handle securely rests against the body of the case. HD cases have strong latches designed for use with combination locks. A full length piano-style hinge opens to an interior with two levels of high-density foam to provide a snug fit for your firearms. A rubber lip seals the inside edges.

Tension spring handle



Full length piano hinge

Inset mylar wheels (70W only)

HD 30 - Double Pistol Case

Inside Dimensions:	15 3/4 x 8 x 4 5/8 inches 400 x 205 x 115 mm
Outside Dimensions:	16 1/2 x 8 7/8 x 4 3/4 inches 420 x 225 x 120 mm
Exterior:	Aluminum alloy
Lock Style:	Pad lock receptacles (Pad locks not included)
Weight:	4.92 lbs / 2.23 kg

HD 52 - Breakdown Shotgun Case

Inside Dimensions:	34 5/8 x 12 1/4 x 4 5/8 inches 880 x 310 x 115 mm
Outside Dimensions:	35 7/8 x 13 3/8 x 4 3/4 inches 910 x 340 x 120 mm
Exterior:	Aluminum alloy
Lock Style:	Pad lock receptacles with Locking Bar
Weight:	13.10 lbs / 5.90 kg

HD 70W - Double Rifle Case

Inside Dimensions:	51 1/4 x 12 1/4 x 4 5/8 inches 1300 x 310 x 115 mm
Outside Dimensions:	52 3/8 x 13 3/8 x 4 3/4 inches 1330 x 340 x 120 mm
Exterior:	Aluminum alloy
Lock Style:	Pad lock receptacles with Locking Bar
Weight:	20.06 lbs / 9.10 kg

COMMANDER series

Commander 36 - Multi Pistol Case

Inside Dimensions:	17 1/8 x 13 1/4 x 6 1/2 inches 435 x 335 x 165 mm
Outside Dimensions:	17 7/8 x 14 x 7 1/8 inches 455 x 355 x 180 mm
Exterior:	Black ABS
Lock Style:	Butterfly pad locks
Weight:	8.38 lbs / 3.80 kg

Commander 52W - Breakdown Shotgun Case

Inside Dimensions:	37 1/4 x 13 1/4 x 6 1/2 inches 945 x 335 x 165 mm
Outside Dimensions:	38 x 14 x 7 1/8 inches 965 x 355 x 180 mm
Exterior:	Black ABS
Lock Style:	Butterfly pad locks
Weight:	19.84 lbs / 9.00 kg

Commander 70W - Double Rifle Case

Inside Dimensions:	51 1/8 x 13 1/4 x 6 1/2 inches 1300 x 335 x 165 mm
Outside Dimensions:	52 x 14 x 7 1/8 inches 1320 x 355 x 180 mm
Exterior:	Black ABS
Lock Style:	Butterfly pad locks
Weight:	23.81 lbs / 10.80 kg

5-YEAR WARRANTY
Commander 36

3- YEAR WARRANTY
Commander 52W
Commander 70W

AIRLINE APPROVED

Commander is an airline-approved and rugged aluminum-framed case that takes no chances in protecting your gear.

Recessed features stay safe and out of the way in rough travel. Its padlock butterfly latches lay flush with the case surface inside a recessed cavity to prevent damage caused by rough airport baggage handling. Tension springs hold the handle down in its recessed cavity or it can be locked in the upright position. This heavy-duty case has corners reinforced on the outside and inside. Its attractive diamond-tread exterior panels are scratch and dent-resistant.



Steel reinforced corners & anti-scratch panel

Butterfly pad lock receptacles

Inset mylar wheels (52W & 70W only)

Strong hinge

Velcro tie down straps (52W & 70W only)

RANGER
series

AIRLINE APPROVED

2-YEAR WARRANTY

Airline-approved Ranger cases provide a secure, hassle-free transport of your firearms.

Ranger has a combination locking system, great for those who don't want to deal with padlocks and keys. Constructed with an aluminum frame, steel-reinforced corners and textured side panels, Ranger is durable and stands up to abuse. Firearms remain securely in place with its high density egg crate-style foam. Lock your guns in this case and forget about it.

Steel reinforced corners



Thick foam padding and dividers for accessories (30 only)

Strong hinge

Ranger 30 - Double Pistol Case

Inside Dimensions:	15 1/2 x 8 1/8 x 3 7/8 inches 395 x 205 x 100 mm
Outside Dimensions:	16 1/2 x 9 x 4 1/2 inches 420 x 230 x 115 mm
Exterior:	Black ABS
Lock Style:	Combination locks
Weight:	4.61 lbs / 2.09 kg

Ranger 36 - Multi Pistol Case

Inside Dimensions:	16 7/8 x 13 x 3 7/8 inches 430 x 330 x 100 mm
Outside Dimensions:	17 7/8 x 14 x 4 1/2 inches 455 x 355 x 115 mm
Exterior:	Black ABS
Lock Style:	Combination locks
Weight:	5.95 lbs / 2.70 kg

Ranger 52W - Breakdown Shotgun Case

Inside Dimensions:	30 7/8 x 12 5/8 x 4 1/8 inches 785 x 320 x 105 mm
Outside Dimensions:	31 7/8 x 13 5/8 x 4 3/4 inches 810 x 345 x 120 mm
Exterior:	Black ABS
Lock Style:	Combination locks + Key locks
Weight:	12.90 lbs / 5.85 kg

RANGER series

Ranger 62W - Single Rifle Case

Inside Dimensions:	48 x 8 1/8 x 4 1/8 inches 1220 x 205 x 105 mm
Outside Dimensions:	49 x 9 x 4 3/4 inches 1245 x 230 x 120 mm
Exterior:	Black ABS
Lock Style:	Combination locks + Key locks
Weight:	14.33 lbs / 6.50 kg

Ranger 70W - Double Rifle Case

Inside Dimensions:	51 5/8 x 12 3/8 x 4 1/8 inches 1310 x 315 x 105 mm
Outside Dimensions:	52 1/2 x 13 1/2 x 4 3/4 inches 1335 x 340 x 120 mm
Exterior:	Black ABS
Lock Style:	Combination locks + Key locks
Weight:	21.60 lbs / 9.80 kg

Scratch-Resistant Panels

Velcro tie down straps (52W & 70W only)

Models 52W, 62W and 70W have wheels

Classic series

AIRLINE APPROVED

2-YEAR WARRANTY

The name says it all. Airline-approved Classic is a good-looking case but don't let the smooth edges fool you, this case is built to last. It is an aluminum frame case with dent and scratch-resistant side panels outfitted with a deluxe, chrome-plated handle with a comfortable rubber grip.

Its impact-resistant foam interior protects your firearms. The latches are also chrome plated with pad lock holders.

All Sizes In One Series

Deluxe carrying handle

Reinforced corners

Classic 26C - Single Pistol Case

Inside Dimensions:	12 x 8 1/2 x 4 1/8 inches 305 x 215 x105 mm
Outside Dimensions:	12 5/8 x 9 x 4 1/2 inches 320 x 230 x115 mm
Exterior:	Black ABS
Lock Style:	Pad lock receptacles (Pad locks not included)
Weight:	3.31 lbs / 1.50 kg

Classic 30C - Double Pistol Case

Inside Dimensions:	16 x 8 1/2 x 4 1/8 inches 405 x 215 x105 mm
Outside Dimensions:	16 1/2 x 9 x 4 1/2 inches 420 x 230 x115 mm
Exterior:	Black ABS
Lock Style:	Pad lock receptacles (Pad locks not included)
Weight:	3.86 lbs / 1.75 kg

Classic 36C - Multi Pistol Case

Inside Dimensions:	17 1/2 x 13 5/8 x 4 1/8 inches 445 x 345 x105 mm
Outside Dimensions:	18 1/8 x 14 1/8 x 4 1/2 inches 460 x 360 x115 mm
Exterior:	Black ABS
Lock Style:	Pad lock receptacles (Pad locks not included)
Weight:	5.51 lbs / 2.50 kg

Classic 52C - Breakdown Shotgun Case

Inside Dimensions:	33 1/2 x 12 3/4 x 4 1/8 inches 850 x 325 x105 mm
Outside Dimensions:	34 x 13 3/8 x 4 1/2 inches 865 x 340 x115 mm
Exterior:	Black ABS
Lock Style:	Key locks + Pad lock receptacles (Pad locks not included)
Weight:	9.92 lbs / 4.50 kg

Classic series

Classic 60C - Tactical Case

Inside Dimensions:	44 1/8 x 11 x 4 1/8 inches 1120 x 280 x 105 mm
Outside Dimensions:	44 5/8 x 11 5/8 x 4 1/2 inches 1135 x 295 x 115 mm
Exterior:	Black ABS
Lock Style:	Key locks + Pad lock receptacles (Pad locks not included)
Weight:	10.58 lbs / 4.80 kg

Classic 62C - Single Rifle Case

Inside Dimensions:	48 3/8 x 8 1/4 x 4 1/8 inches 1230 x 210 x 105 mm
Outside Dimensions:	49 x 9 x 4 1/2 inches 1245 x 230 x 115 mm
Exterior:	Black ABS
Lock Style:	Key locks + Pad lock receptacles (Pad locks not included)
Weight:	10.14 lbs / 4.60 kg

Classic 70C - Double Rifle Case

Inside Dimensions:	52 x 13 x 4 1/8 inches 1320 x 330 x 105 mm
Outside Dimensions:	52 1/2 x 13 5/8 x 4 1/2 inches 1335 x 345 x 115 mm
Exterior:	Black ABS
Lock Style:	Key locks + Pad lock receptacles (Pad locks not included)
Weight:	14.11 lbs / 6.40 kg

Thick foam padding and dividers for accessories (30C only)

Velcro tie down straps (52C & 70C only)

Strong metal hinge

Rubber feet

LEGACY series

AIRLINE APPROVED

5-YEAR WARRANTY

Legacy is a hard case with great style and refined features. Inside, the plush synthetic fur lining not only looks good, but provides superior protection.

Push button latches and key locks are quick and easy to use. The tongue and groove seam has an embedded o-ring to ensure a perfectly tight seal. Airline-approved Legacy has an exterior constructed of rigid, high-density polyethylene known for its superior strength to weight properties.

Lightweight, easy to carry

Key lock latches


Stable rubber feet

Legacy 30C - Double Pistol Case

Inside Dimensions:	15 3/8 x 8 1/8 x 4 3/8 inches 390 x 205 x 110 mm
Outside Dimensions:	16 1/8 x 8 7/8 x 5 3/8 inches 410 x 225 x 135 mm
Exterior:	Black HDPE
Lock Style:	Key lock latches
Weight:	2.87 lbs / 1.30 kg

Legacy 52C - Breakdown Shotgun Case

Inside Dimensions:	34 1/2 x 13 x 4 1/2 inches 875 x 330 x 115 mm
Outside Dimensions:	35 x 13 5/8 x 5 1/2 inches 890 x 345 x 140 mm
Exterior:	Black HDPE
Lock Style:	Key lock latches
Weight:	8.60 lbs / 3.90 kg

Legacy 70C - Double Rifle Case

Inside Dimensions:	51 3/4 x 12 5/8 x 4 1/2 inches 1315 x 320 x 115 mm
Outside Dimensions:	52 1/2 x 13 3/8 x 5 1/2 inches 1335 x 340 x 140 mm
Exterior:	Black HDPE
Lock Style:	Key lock latches + lock latches
Weight:	11.02 lbs / 5.00 kg

Outback series

Outback 30C / Z - Double Pistol Case

Inside Dimensions:	15 3/8 x 8 1/8 x 4 3/8 inches 390 x 205 x 110 mm
Outside Dimensions:	16 1/8 x 8 7/8 x 4 7/8 inches 410 x 225 x 125 mm
Exterior:	Camouflage pattern 600D polyester inlay 600D polyester + PE
Lock Style:	Numeric key locks + Pad lock receptacles (pad locks not included)
Weight:	3.55 lbs / 1.61 kg

Outback 36C / Z - Multi Pistol Case

Inside Dimensions:	16 7/8 x 13 x 4 3/8 inches 430 x 330 x 110 mm
Outside Dimensions:	17 3/4 x 13 3/4 x 4 7/8 inches 450 x 350 x 125 mm
Exterior:	Camouflage pattern 600D polyester inlay 600D polyester + PE
Lock Style:	Numeric key locks + Pad lock receptacles (pad locks not included)
Weight:	4.81 lbs / 2.18 kg

Outback 52C / Z - Breakdown Shotgun Case

Inside Dimensions:	30 3/4 x 12 3/8 x 4 3/4 inches 780 x 315 x 120 mm
Outside Dimensions:	31 1/2 x 13 1/4 x 5 3/8 inches 800 x 335 x 135 mm
Exterior:	Camouflage pattern 600D polyester inlay 600D polyester + PE
Lock Style:	Numeric key locks + Pad lock receptacles (pad locks not included)
Weight:	7.05 lbs / 3.20 kg

5-YEAR WARRANTY

AIRLINE APPROVED

Airline-approved Outback is ready to go to work for you. It's a solid, composite hard case with the upper and lower lids in one solid piece, free of seams and fasteners.

Constructed of high-density polyethylene material, Outback has a uniquely-engineered design that absorbs impact by flexing when struck. Outback is lightweight and its exterior is scratch-resistant. Wide, stable rubber feet stand Outback upright to keep the body safely above the ground. Outback features numbered key-specific lock and padlock holders.



Key lock latches & Pad lock receptacles (pad locks not included)

Stable rubber feet

OUTBACK series

Outback 60C - Tactical Case

Inside Dimensions:	44 1/8 x 14 3/8 x 4 3/4 inches 1120 x 365 x 120 mm
Outside Dimensions:	44 5/8 x 15 x 5 3/8 inches 1240 x 230 x 135 mm
Exterior:	600D polyester + PE
Lock Style:	Numeric key locks + Key lock latches Pad lock receptacles (pad locks not included)
Weight:	11.57 lbs / 5.30 kg

Metal hinge

Velcro tie down straps (52C/Z & 70C/Z only)

Outback 62C / Z - Single Rifle Case

Inside Dimensions:	48 x 8 1/4 x 4 3/4 inches 1120 x 210 x 120 mm
Outside Dimensions:	52 1/2 x 13 3/8 x 5 3/8 inches 1240 x 230 x 135 mm
Exterior:	Camouflage pattern 600D polyester inlay 600D polyester + PE
Lock Style:	Numeric key locks + Key lock latches Pad lock receptacles (pad locks not included)
Weight:	8.97 lbs / 4.07 kg



OUTBACK series

Outback 70C / Z - Double Rifle Case

Inside Dimensions:	51 3/4 x 12 5/8 x 4 3/4 inches 1315 x 320 x 120 mm
Outside Dimensions:	52 1/2 x 13 3/8 x 5 3/8 inches 1335 x 340 x 135 mm
Exterior:	Camouflage pattern 600D polyester inlay 600D polyester + PE
Lock Style:	Numeric key locks + Key lock latches Pad lock receptacles (pad locks not included)
Weight:	12.19 lbs / 5.53 kg

SPECIFICATIONS

Supreme series

	Outside Dimensions (L x D x H)		Inside Dimensions (L x D x H)		Weight		Max. loading weight	
	inches	mm	inches	mm	lbs	kg	kg	lbs
Supreme 27F	11 x 9 7/8 x 6 3/4	280 x 250 x 170	9 7/8 x 7 1/2 x 5 7/8	250 x 190 x 150	4.19	1.90	33.0	15
Supreme 37F	16 3/8 x 12 3/4 x 7 5/8	415 x 325 x 195	15 x 10 1/4 x 6 7/8	380 x 260 x 175	8.60	3.90	44.0	20
Supreme 38F	18 1/4 x 14 3/8 x 4 7/8	465 x 365 x 125	16 7/8 x 11 5/8 x 4 1/8	430 x 295 x 105	7.05	3.20	26.0	12
Supreme 40F	18 1/4 x 14 3/8 x 7 5/8	465 x 365 x 195	16 7/8 x 11 5/8 x 6 7/8	430 x 295 x 175	9.70	4.40	55.0	25
Supreme 46F	20 1/4 x 17 1/8 x 8 5/8	515 x 435 x 220	18 7/8 x 14 5/8 x 7 7/8	480 x 370 x 200	14.99	6.80	66.0	30
Supreme 53F	24 3/4 x 20 1/2 x 9 1/2	630 x 520 x 240	22 x 17 3/4 x 7 7/8	560 x 450 x 200	22.93	10.40	77.0	35

VGP series

VGP-3200	9 1/2 x 7 1/2 x 4	240 x 190 x 100	8 3/4 x 6 7/8 x 3 7/8	220 x 175 x 85	2.42	1.10	6.6	3
VGP-3201	11 7/8 x 7 1/2 x 3 7/8	300 x 190 x 100	11 1/4 x 6 7/8 x 3 3/8	285 x 175 x 85	2.76	1.25	11.0	5
VGP-3202	13 x 10 1/4 x 5 1/8	330 x 260 x 130	12 3/8 x 9 5/8 x 4 1/2	315 x 245 x 115	4.14	1.88	18.0	8
VGP-13S	15 3/4 x 9 7/8 x 6 7/8	400 x 250 x 175	15 1/8 x 9 1/4 x 6 3/8	385 x 235 x 160	5.80	2.63	18.0	8
VGP-13	18 1/8 x 12 3/4 x 6 3/4	460 x 325 x 170	17 1/2 x 12 1/8 x 6	445 x 310 x 150	7.01	3.18	22.0	10
VGP-300W	21 1/2 x 14 x 8	545 x 355 x 205	20 7/8 x 13 3/8 x 7 1/4	530 x 340 x 185	14.33	6.50	44.0	20
VGP-310W	23 1/2 x 15 x 8	600 x 380 x 205	22 7/8 x 14 3/8 x 7 1/4	585 x 370 x 185	16.09	7.30	44.0	20

X-Vault 86C

	Outside Dimensions		Inside Dimensions		Description	Exterior	Lock Style	Weight	
	inches	mm	inches	mm				lbs	kg
X-Vault 86C	43 1/8 x 17 1/8 x 7 1/4	1095 x 435 x 185	41 1/2 x 16 1/2 x 6 1/4	1080 x 420 x 160	Archery Case	PO	Key lock latches	11.24	5.10

Axiom series

Axiom 83C	43 1/8 x 17 1/8 x 7 1/4	1095 x 435 x 185	41 1/2 x 16 1/2 x 6 1/4	1080 x 420 x 160	Archery Case	Black HDPE	Key lock latches + lock latches	11.24	5.10

Saberlock series

Saberlock 83C	42 1/2 x 20 3/4 x 7 3/4	1080 x 525 x 195	40 x 18 3/8 x 7	1015 x 465 x 175	Single Archery Case	Camouflage pattern + PE	Numeric key locks + Key locks + Pad lock receptacles (pad locks not included)	15.87	7.20
Saberlock 83Z	42 1/2 x 20 3/4 x 7 3/4	1080 x 525 x 195	40 x 18 3/8 x 7	1015 x 465 x 175	Single Archery Case	600D polyester + PE	Numeric key locks + Key locks + Pad lock receptacles (pad locks not included)	15.87	7.20

GDS-6200 series

GDS-6288ZW	42 1/2 x 19 3/4 x 10 3/4	1080 x 500 x 275	40 x 17 3/8 x 10	1015 x 440 x 255	Double Wheeled Archery Case	Camouflage pattern + PE	Numeric key locks + Key locks + Pad lock receptacles (pad locks not included)	18.52	8.40

HD series

HD 30	16 1/2 x 8 7/8 x 4 3/4	420 x 225 x 120	15 3/4 x 8 x 4 5/8	400 x 205 x 115	Double Pistol Case	Aluminum alloy	Pad lock receptacles (Pad locks not included)	4.92	2.23
HD 52	35 7/8 x 13 3/8 x 4 3/4	910 x 340 x 120	34 5/8 x 12 1/4 x 4 5/8	880 x 310 x 115	Breakdown Shotgun Case	Aluminum alloy	Pad lock receptacles with Locking Bar	13.10	5.90
HD 70W	52 3/8 x 13 3/8 x 4 3/4	1330 x 340 x 120	51 1/4 x 12 1/4 x 4 5/8	1300 x 310 x 115	Double Rifle Case	Aluminum alloy	Pad lock receptacles with Locking Bar	20.06	9.10

Commander series

Commander 36	17 7/8 x 14 x 7 1/8	455 x 355 x 180	17 1/8 x 13 1/4 x 6 1/2	435 x 335 x 165	Multi Pistol Case	Black ABS	Butterfly pad locks	8.38	3.80
Commander 52W	38 x 14 x 7 1/8	965 x 355 x 180	37 1/4 x 13 1/4 x 6 1/2	945 x 335 x 165	Breakdown Shotgun Case	Black ABS	Butterfly pad locks	19.84	9.00
Commander 70W	52 x 14 x 7 1/8	1320 x 355 x 180	51 1/8 x 13 1/4 x 6 1/2	1300 x 335 x 165	Double Rifle Case	Black ABS	Butterfly pad locks	23.81	10.80

SPECIFICATIONS

Ranger series

	Outside Dimensions inches	Outside Dimensions mm	Inside Dimensions inches	Inside Dimensions mm	Description	Exterior	Lock Style	Weight lbs	Weight kg
Ranger 30	16 1/2 x 9 x 4 1/2	420 x 230 x 115	15 1/2 x 8 1/8 x 3 7/8	395 x 205 x 100	Double Pistol Case	Black ABS	Combination locks	4.61	2.09
Ranger 36	17 7/8 x 14 x 4 1/2	455 x 355 x 115	16 7/8 x 13 x 3 7/8	430 x 330 x 100	Multi Pistol Case	Black ABS	Combination locks	5.95	2.70
Ranger 52W	31 7/8 x 13 5/8 x 4 3/4	810 x 345 x 120	30 7/8 x 12 5/8 x 4 1/8	785 x 320 x 105	Breakdown Shotgun Case	Black ABS	Combination locks + Key locks	12.90	5.85
Ranger 62W	49 x 9 x 4 3/4	1245 x 230 x 120	48 x 8 1/8 x 4 1/8	1220 x 205 x 105	Single Rifle Case	Black ABS	Combination locks + Key locks	14.33	6.50
Ranger 70W	52 1/2 x 13 1/2 x 4 3/4	1335 x 340 x 120	51 5/8 x 12 3/8 x 4 1/8	1310 x 315 x 105	Double Rifle Case	Black ABS	Combination locks + Key locks	21.60	9.80

Classic series

Classic 26C	12 5/8 x 9 x 4 1/2	320 x 230 x 115	12 x 8 1/2 x 4 1/8	305 x 215 x 105	Single Pistol Case	Black ABS	Pad lock receptacles (pad locks not included)	3.31	1.50
Classic 30C	16 1/2 x 9 x 4 1/2	420 x 230 x 115	16 x 8 1/2 x 4 1/8	405 x 215 x 105	Double pistol Case	Black ABS	Pad lock receptacles (pad locks not included)	3.86	1.75
Classic 36C	18 1/8 x 14 1/8 x 4 1/2	460 x 360 x 115	17 1/2 x 13 5/8 x 4 1/8	445 x 345 x 105	Multi Pistol Case	Black ABS	Pad lock receptacles (pad locks not included)	5.51	2.50
Classic 52C	34 x 13 3/8 x 4 1/2	865 x 340 x 115	33 1/2 x 12 3/4 x 4 1/8	850 x 325 x 105	Breakdown Shotgun Case	Black ABS	Key locks + Pad lock receptacles (pad locks not included)	9.92	4.50
Classic 60C	44 5/8 x 11 5/8 x 4 1/2	1135 x 295 x 115	44 1/8 x 11 x 4 1/8	1120 x 280 x 105	Tactical Case	Black ABS	Key locks + Pad lock receptacles (pad locks not included)	10.58	4.80
Classic 62C	49 x 9 x 4 1/2	1245 x 230 x 115	48 3/8 x 8 1/4 x 4 1/8	1230 x 210 x 105	Single Rifle Case	Black ABS	Key locks + Pad lock receptacles (pad locks not included)	10.14	4.60
Classic 70C	52 1/2 x 13 5/8 x 4 1/2	1335 x 345 x 115	52 x 13 x 4 1/8	1320 x 330 x 105	Double Rifle Case	Black ABS	Key locks + Pad lock receptacles (pad locks not included)	14.11	6.40

Legacy series

Legacy 30C	16 1/8 x 8 7/8 x 5 3/8	410 x 225 x 135	15 3/8 x 8 1/8 x 4 3/8	390 x 205 x 110	Double pistol Case	Black HDPE	Key lock latches	2.87	1.30
Legacy 52C	35 x 13 5/8 x 5 1/2	890 x 345 x 140	34 1/2 x 13 x 4 1/2	875 x 330 x 115	Breakdown Shotgun Case	Black HDPE	Key lock latches	8.60	3.90
Legacy 70C	52 1/2 x 13 3/8 x 5 1/2	1335 x 340 x 140	51 3/4 x 12 5/8 x 4 1/2	1315 x 320 x 115	Double Rifle Case	Black HDPE	Key lock latches + Lock latches	11.02	5.00

Outback series

Outback 30C / Z	16 1/8 x 8 7/8 x 4 7/8	410 x 225 x 125	15 3/8 x 8 1/8 x 4 3/8	390 x 205 x 110	Double Pistol Case	600D polyester + PE (30C) Camouflage pattern 600D polyester inlay + PE (30Z)	Numeric key locks + Pad lock receptacles (pad locks not included)	3.55	1.61
Outback 36C / Z	17 3/4 x 13 3/4 x 4 7/8	450 x 350 x 125	16 7/8 x 13 x 4 3/8	430 x 330 x 110	Multi Pistol Case	600D polyester + PE (36C) Camouflage pattern 600D polyester inlay + PE (36Z)	Numeric key locks + Pad lock receptacles (pad locks not included)	4.81	2.18
Outback 52C / Z	31 1/2 x 13 1/4 x 5 3/8	800 x 335 x 135	30 3/4 x 12 3/8 x 4 3/4	780 x 315 x 120	Breakdown Shotgun Case	600D polyester + PE (52C) Camouflage pattern 600D polyester inlay + PE (52Z)	Numeric key locks + Pad lock receptacles (pad locks not included)	7.05	3.20
Outback 60C	44 1/8 x 15 x 5 3/8	1135 x 380 x 135	44 1/4 x 14 3/8 x 4 3/4	1120 x 365 x 120	Tactical Case	600D polyester + PE	Numeric key locks + Key lock latches + Pad lock receptacles (pad locks not included)	11.57	5.30
Outback 62C / Z	48 7/8 x 9 x 5 3/8	1240 x 230 x 135	48 x 8 1/4 x 4 3/4	1220 x 210 x 120	Single Rifle Case	600D polyester + PE (62C) Camouflage pattern 600D polyester inlay + PE (62Z)	Numeric key locks + Key lock latches + Pad lock receptacles (pad locks not included)	8.97	4.07
Outback 70C / Z	52 1/2 x 13 3/8 x 5 3/8	1335 x 340 x 135	51 3/4 x 12 5/8 x 4 3/4	1315 x 320 x 120	Double Rifle Case	600D polyester + PE (70C) Camouflage pattern 600D polyester inlay + PE (70Z)	Numeric key locks + Key lock latches + Pad lock receptacles (pad locks not included)	12.19	5.53